

002

B&A Buys & Associates, Inc.
Environmental Consultants

4720 South Santa Fe Circle, Suite 6
Englewood, Colorado 80110-6488
303/781-8211 303/781-1167 Fax

June 6, 2003

Fluid Minerals Group
Bureau of Land Management
Vernal Field Office
170 South 500 East
Vernal, Utah 84078

RE: Application for Permit to Drill—Dominion Exploration & Production, Inc.
WHB 11-35E, 1,863' FSL, 2,228' FWL, NE/4 SW/4
Section 35, T10S, R19E, SLB&M, Uintah County, Utah

Dear Fluid Minerals Group:

On behalf of Dominion Exploration & Production, Inc. (Dominion), Buys & Associates, Inc. respectfully submits the enclosed original and two copies of the *Application for Permit to Drill (APD)* for the above referenced well. Included with the APD is the following supplemental information:

Exhibit "A" - Survey plats, layouts and photos of the proposed well site;

Exhibit "B" - Proposed location maps with access and utility corridors;

Exhibit "C" - Production site layout;

Exhibit "D" - Drilling Plan;

Exhibit "E" - Surface Use Plan;

Exhibit "F" - Typical BOP and Choke Manifold diagram.

Please accept this letter as Dominion's, written request for confidential treatment of all information contained in and pertaining to this application.

Thank you very much for your timely consideration of this application. Please feel free to contact myself or Carla Christian of Dominion at 405-749-5263 if you have any questions or need additional information.

Sincerely,

Don Hamilton
Don Hamilton
Agent for Dominion

cc: Diana Mason, Division of Oil, Gas and Mining
Carla Christian, Dominion
Marty Buys, Buys & Associates, Inc.

RECEIVED

JUN 11 2003

DIV. OF OIL, GAS & MINING

FILE COPY

CONFIDENTIAL

001

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK

DRILL ☒

DEEPEN ☐

b. TYPE OF WELL
OIL ☐
WELL ☐

GAS ☐
WELL ☒ OTHER

SINGLE ☐
ZONE ☒

MULTIPLE ☐
ZONE ☐

2. NAME OF OPERATOR

Dominion Exploration & Production, Inc.

3. ADDRESS AND TELEPHONE NO.

14000 Quail Springs Parkway, Suite 600, Oklahoma City, OK 73134, 405-749-6690

4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. *)
At surface

1,863' FSL, 2,228' FWL

NE/4 SW/4

4417359 Y 39.90146
Leola 883X - 109.74970

At proposed prod. zone

1,863' FSL, 2,228' FWL

NE/4 SW/4

14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE*

13.49 miles southwest of Ouray, Utah

15. DISTANCE FROM PROPOSED*
LOCATION TO NEAREST
PROPERTY OR LEASE LINE, FT.
(Also to nearest drig. unit line, if any)

1,863'

16. NO. OF ACRES IN LEASE

1,600

17. NO. OF ACRES ASSIGNED
TO THIS WELL

40 acres

18. DISTANCE FROM PROPOSED
LOCATION TO NEAREST WELL,
DRILLING, COMPLETED, OR
APPLIED FOR, ON THIS LEASE, FT.

1,467'

19. PROPOSED DEPTH

8,000'

20. ROTARY OR CABLE TOOLS

Rotary

21. ELEVATIONS (Show whether DF, RT, GR, etc.)

5,378' GR

22. APPROX. DATE WORK WILL START*

March 15, 2004

23. PROPOSED CASING AND CEMENTING PROGRAM

SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17-1/2"	13-3/8" H-40 ST&C	48#	500'	450 sacks Class C cement + 2% CaCl ₂ + 1/4 #/sk. Poly-E-Flakes
12-1/4"	8-5/8" J-55 LT&C	32#	2,200'	385 sacks Lead and 370 sacks Tail (see Drilling Plan)
7-7/8"	5-1/2" Mav-80 LT&C	17#	8,000'	160 sacks Lead and 435 sacks Tail (see Drilling Plan)

Bond Information:

Bond coverage is provided by Travelers Casualty and Surety Company of America, Bond #76S 63050 0330

Other Information:

Drilling Plan and Surface Use Plan are attached.

Dominion requests that this complete application for permit to drill be held confidential.

A request for exception to spacing (R649-3-2) is hereby requested based on topography since the well is located within 460' of the drilling unit boundary. Dominion Exploration & Production, Inc. is the only owner and operator within 460' of the proposed well.

RECEIVED

JUN 11 2003

DIV. OF OIL, GAS & MINING

CONFIDENTIAL

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24.

SIGNED Don Hamilton Don Hamilton TITLE Agent for Dominion

DATE June 6, 2003

(This space for Federal or State office use)

PERMIT NO. 43047-35053 APPROVAL DATE

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would create the proposed well or operations thereon. CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY Federal Approval of this Action is Necessary TITLE

APPROVED BY THE STATE
OF UTAH DIVISION OF
OIL, GAS, AND MINING
DATE: 6-17-03
BY: [Signature]


*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency or the

T10S, R19E, S.L.B.&M.


DOMINION EXPLR. & PROD., INC.

Well location, WHB #11-35E, located as shown in the NE 1/4 SW 1/4 of Section 35, T10S, R19E, S.L.B.&M. Uintah County Utah.



BASIS OF ELEVATION

SPOT ELEVATION AT THE SOUTHWEST CORNER OF SECTION 20, T10S, R20E, S.L.B.&M. TAKEN FROM THE BIG PACK MTN. NW QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5251 FEET.



CERTIFICATE

THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF.

Robert J. Hays
REGISTERED LAND SURVEYOR
REGISTRATION NO. 161319
STATE OF UTAH

UINTAH ENGINEERING & LAND SURVEYING 85 SOUTH 200 EAST - VERNAL, UTAH 84078 (435) 789-1017		
SCALE 1" = 1000'	DATE SURVEYED: 05-09-03	DATE DRAWN: 05-11-03
PARTY G.O. M.P. D.R.B.	REFERENCES G.L.O. PLAT	
WEATHER WARM	FILE DOMINION EXPLR. & PROD., INC	

DRILLING PLAN

APPROVAL OF OPERATIONS

Attachment for Permit to Drill

Name of Operator: Dominion Exploration & Production
Address: 14000 Quail Springs Parkway, Suite 600
Oklahoma City, OK 73134
Well Location: WHB 11-35E
1863' FSL & 2228' FWL
Section 35-10S-19E
Uintah County, UT

1. GEOLOGIC SURFACE FORMATION Uintah

2. ESTIMATED DEPTHS OF IMPORTANT GEOLOGIC MARKERS

<u>Formation</u>	<u>Depth</u>
Green River	939'
Wasatch Tongue	3,849'
Green River Tongue	4,179'
Wasatch	4,339'
Chapita Wells	5,239'
Uteland Buttes	6,439'
Mesaverde	7,539'

3. ESTIMATED DEPTHS OF ANTICIPATED WATER, OIL, GAS OR MINERALS

<u>Formation</u>	<u>Depth</u>	<u>Type</u>
Green River	939'	Oil
Wasatch Tongue	3,849'	Oil
Green River Tongue	4,179'	Oil
Wasatch	4,339'	Gas
Chapita Wells	5,239'	Gas
Uteland Buttes	6,439'	Gas
Mesaverde	7,539'	Gas

4. PROPOSED CASING PROGRAM

All casing used to drill this well will be new casing.

<u>Type</u>	<u>Size</u>	<u>Weight</u>	<u>Grade</u>	<u>Conn.</u>	<u>Top</u>	<u>Bottom</u>	<u>Hole</u>
Surface	13-3/8"	48.0 ppf	H-40	STC	0'	500'	17-1/2"
Intermediate	8-5/8"	32.0 ppf	J-55	LTC	0'	2,200'	12-1/4"
Production	5-1/2"	17.0 ppf	MAV-80	LTC	0'	8,000'	7-7/8"

5. OPERATOR'S MINIMUM SPECIFICATIONS FOR PRESSURE CONTROL

Surface hole: No BOPE will be utilized.

Intermediate hole: To be drilled using a diverter stack with rotating head to divert flow from rig floor.

Production hole: Prior to drilling out the intermediate casing shoe, 3,000 psi or greater BOP equipment will be installed. The pipe rams will be operated at least once per day from intermediate casing to total depth. The blind rams will be tested once per day from intermediate casing to total depth if operations permit.

CONFIDENTIAL

DRILLING PLAN

APPROVAL OF OPERATIONS

A diagram of the planned BOP equipment for normal drilling operations in this area is attached. As denoted there will be two valves and one check valve on the kill line, two valves on the choke line, and two adjustable chokes on the manifold system. The BOP "stack" will consist of two BOP rams (1 pipe, 1 blind) and one annular type preventer, all rated to a minimum of 3,000 psi working pressure.

The BOP equipment will be pressure tested prior to drilling below the intermediate casing shoe. All test pressures will be maintained for fifteen (15) minutes without any significant pressure decrease. Clear water will be circulated into the BOP stack and lines prior to pressure testing. The following test pressures will be used as a minimum for various equipment items.

1.	Annular BOP	1,500 psi
2.	Ram type BOP	3,000 psi
3.	Kill line valves	3,000 psi
4.	Choke line valves and choke manifold valves	3,000 psi
5.	Chokes	3,000 psi
6.	Casing, casinghead & weld	1,500 psi
7.	Upper kelly cock and safety valve	3,000 psi
8.	Dart valve	3,000 psi

6. MUD SYSTEMS

- An air or an air/mist system may be used to drill the surface hole until water influx becomes too great.
- KCL mud system will be used to drill well.

<u>Depths</u>	<u>Mud Weight (ppg)</u>	<u>Mud System</u>
0' - 500'	8.4	Air foam mist, no pressure control
500' - 2,200'	8.6	Fresh water, rotating head and diverter
2,200' - 8,000'	8.6	Fresh water/2% KCL/KCL mud system

7. BLOOIE LINE

- An automatic igniter will not be installed on blooie line. The blooie will have a constant ignition source.
- A "target tee" connection will be installed on blooie line for 90° change of directions for abrasion resistance.
- "Target tee" connections will be a minimum of 50' from wellhead.
- The blooie line discharge will be a minimum of 100' from the wellhead.

8. AUXILIARY EQUIPMENT TO BE USED

- a. Kelly cock.
- b. Full opening valve with drill pipe connection will be kept on floor. Valve will be used when the kelly is not in string.

9. TESTING, LOGGING, AND CORING PROGRAMS TO BE FOLLOWED

- A drillstem test in the Wasatch Tongue is possible.
- One electric line wire-log will be run from total depth to intermediate casing.
- The gamma ray will be left on to record from total depth to intermediate casing.
- Other log curves (resistivities, porosity, and caliper) will record from total depth to intermediate casing.
- A dipmeter, percussion cores, or rotary cores may be run over selected intervals.

10. ANTICIPATED ABNORMAL PRESSURES OR TEMPERATURES EXPECTED

- Expected BHP 1,500-2,000 psi (lower than normal pressure gradient).
- No abnormal temperature or pressures are anticipated.
- The formations to be penetrated do not contain known H₂S gas.

11. WATER SUPPLY

- No water pipelines will be laid for this well.
- No water well will be drilled for this well.
- Drilling water for this will be hauled on the road(s) shown in Attachment No. 3.
- Water will be hauled from: Water Permit # 43-10447 Section 9, Township 8 South, Range 20 East

CONFIDENTIAL

DRILLING PLAN

APPROVAL OF OPERATIONS

12. CEMENT SYSTEMS

a. Surface Cement:

Drill 17-1/2" hole to 500' and cement 13-3/8" to surface with 450 sks class "C" cement with 2% CaCl₂ and 1/4 #/sk. Poly-E-Flakes (volume includes 40% excess). Top out if necessary with Top Out cement listed below.

b. Intermediate Casing Cement:

- Drill 12-1/4" hole to 2,200'±, run and cement 8-5/8" to surface.
- Pump 20 bbls lightly weighted water spacer followed by 5 bbls fresh water. Displace with any available water.
- Casing to be run with: a) guide shoe b) insert float c) three (3) centralizers, one on each of first 3 joints d) stop ring for plug two joints off bottom e) bottom three joints thread locked f) pump job with bottom plug only.
- Cement to surface not required due to surface casing set deeper than normal.

Type	Sacks	Interval	Density	Yield	Hole Volume	Cement Volume	Excess
Lead	385	0'-1,700'	11.0 ppg	3.82 CFS	733 CF	1,466 CF	100%
Tail	370	1,700'-2,200'	15.6 ppg	1.20 CFS	220 CF	440 CF	100%

Lead Mix: Halliburton Prem Plus V blend. Blend includes Class "C" cement, gel, salt, gilsonite, EX-1 and HR-7.
Slurry yield: 3.82 cf/sack Slurry weight: 11.00 #/gal.
Water requirement: 22.95 gal/sack
Compressives @ 130°F: 157 psi after 24 hours

Tail Mix: Class "G" Cement, 1/4 lb/sk Cellophane Flakes + 2% bwoc Calcium Chloride + 44.3% fresh water.
Pump Time: 1 hr. 5 min. @ 90 °F.
Compressives @ 95 °F: 24 Hour is 4,700 psi

c. Production Casing Cement:

- Drill 7-7/8" hole to 8,000'±, run and cement 5 1/2".
- Cement interface is at 4,000', which is typically 500'-1,000' above shallowest pay.
- Pump 20 bbl Mud Clean II unweighted spacer, followed by 20 Bbls fresh H2O spacer.
- Displace with 3% KCL.

Type	Sacks	Interval	Density	Yield	Hole Volume	Cement Volume	Excess
Lead	160	3,700'-4,700'	11.5 ppg	3.12 CFS	175 CF	350 CF	100%
Tail	435	4,700'-8,000'	13.0 ppg	1.75 CFS	473 CF	946 CF	100%

Note: Caliper will be run to determine exact cement volume.

Lead Mix: Halliburton Prem Plus V blend. Blend includes Class "C" cement, gel, salt, gilsonite, EX-1 and HR-7.
Slurry yield: 3.12 cf/sack Slurry weight: 11.60 #/gal.
Water requirement: 17.71 gal/sack
Compressives @ 130°F: 157 psi after 24 hours

Tail Mix: Halliburton HLC blend (Prem Plus V/JB flyash). Blend includes Class "G" cement, KCl, EX-1, Halad 322, & HR-5.
Slurry yield: 1.75 cf/sack Slurry weight: 13.00 #/gal.
Water requirement: 9.09 gal/sack
Compressives @ 165°F: 905 psi after 24 hours

13. ANTICIPATED STARTING DATE AND DURATION OF THE OPERATIONS

Starting Date: March 15, 2004
Duration: 14 Days

CONFIDENTIAL

SURFACE USE PLAN

CONDITIONS OF APPROVAL

Attachment for Permit to Drill

Name of Operator: Dominion Exploration & Production
Address: 14000 Quail Springs Parkway, Suite 600
Oklahoma City, OK 73134
Well Location: WHB 11-35E
1863' FSL & 2228' FWL
Section 35-10S-19E
Uintah County, UT

The dirt contractor will be provided with an approved copy of the surface use plan of operations before initiating construction.

The onsite inspection for the referenced well was conducted on Tuesday, May 20, 2003 at approximately 1:50 pm. In attendance at the onsite inspection were the following individuals:

John Bingham
Stephanie Howard
Dixie Sadler
Robert Kay
Brent Stubbs
Ryan Jackson
Don Hamilton

Company Representative
Environmental Scientist
Wildlife Biologist
Registered Land Surveyor
Foreman
Foreman
Permitting Agent

Dominion Exploration & Production, Inc.
Bureau of Land Management
Bureau of Land Management
Uintah Engineering and Land Surveying
Stubbs & Stubbs Oil Field Construction
Jackson Construction
Buys & Associates, Inc.

1. Existing Roads:

- a. The proposed well site is located approximately 13.49 miles southwest of Ouray, UT.
- b. Directions to the proposed well site have been attached at the end of Exhibit B.
- c. The use of roads under State and County Road Department maintenance is necessary to access the Wild Horse Bench Prospect. However, an encroachment permit is not anticipated since no upgrades to the State or County Road system are proposed at this time.
- d. All existing roads will be maintained and kept in good repair during all phases of operation.
- e. Vehicle operators will obey posted speed restrictions and observe safe speeds commensurate with road and weather conditions.
- f. Since no improvements are anticipated to the State, County or BLM access roads no topsoil striping will occur.
- g. **An off-lease federal Right-of-Way is not anticipated for the access road since it is located on lease but is requested for the utility corridor since it is located off-lease.**

2. Planned Access Roads:

- a. From the existing gravel surfaced, Dominion maintained road an access is proposed trending northeast approximately 450' to the proposed well site. The access consists of entirely new disturbance. A road design plan is not anticipated at this time.
- b. The proposed access road will consist of a 14' travel surface within a 30' disturbed area.
- c. Proposed access will utilize entirely federal lands in which a right-of-way is not anticipated at this time. Approval to construct and utilize the proposed access road is requested with this application.
- d. A maximum grade of 10% will be maintained throughout the project with no cuts and fills required to access the well.
- e. No turnouts are proposed since the access road is only 450' long and adequate site distance exists in all directions.
- f. Two 18" culverts are anticipated at this time, the first will be placed as the access enters the well site and the other approximately 200' southeast from the well site along the access road. Adequate drainage structures will be incorporated into the remainder of road.
- g. No surfacing material will come from federal or Indian lands.
- h. No gates or cattle guards are anticipated at this time.
- i. Surface disturbance and vehicular travel will be limited to the approved location access road.
- j. All access roads and surface disturbing activities will conform to the standards outlined in the Bureau of Land Management and Forest Service publication: Surface Operating Standards for Oil and Gas Exploration and Development, (1989).
- k. The operator will be responsible for all maintenance of the access road including drainage structures.

3. Location of Existing Wells:

- a. Following is a list of existing wells within a one mile radius of the proposed well:
 - i. Water wells None
 - ii. Injection wells None
 - iii. Disposal wells None
 - iv. Drilling wells None
 - v. Temp. shut-in wells 1
 - vi. Producing wells 11
 - vii. Abandon wells 2
- b. Exhibit B has a map reflecting these wells within a one mile radius of the proposed well.

4. Location of Production Facilities:

- a. All permanent structures will be painted a flat, non-reflective Desert Brown to match the standard environmental colors. All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) may be excluded.
- b. Site security guidelines identified in 43 CFR 3163.7-5 and Onshore Oil and Gas Order No. 3 will be adhered to.
- c. A gas meter run will be constructed and located on lease within 500 feet of the wellhead. Meter runs will be housed and/or fenced. All gas production and measurement shall comply with the provisions of 43 CFR 3162.7-3, Onshore Oil and Gas Order No. 5, and American Gas Association (AGA) Report No. 3.
- d. A tank battery will be constructed on this lease, it will be surrounded by a dike of sufficient capacity to contain the storage capacity of the largest tank. All loading lines and valves will be placed inside the berm surrounding the tank battery. All liquid hydrocarbons production and measurement shall conform to the provisions of 43 CFR 3162.7-3 and Onshore Oil and Gas Order No. 4 and Onshore Oil and Gas Order No. 5 for natural gas production and measurement.
- e. Any necessary pits will be properly fenced to prevent any wildlife and livestock entry.
- f. All access roads will be maintained as necessary to prevent erosion and accommodate year-round traffic. The road will be maintained in a safe useable condition.
- g. The site will require periodic maintenance to ensure that drainages are kept open and free of debris, ice, and snow, and that surfaces are properly treated to reduce erosion, fugitive dust, and impacts to adjacent areas.
- h. A gas pipeline is associated with this application and is being applied for at this time. The proposed gas pipeline corridor will leave the southwest side of the well site and traverse southwest then roughly northwest along the proposed access road to the proposed 4" pipeline corridor leaving the proposed WHB 12-26E well site.
- i. The gas pipeline will be a 4" steel surface line within a 20' wide utility corridor. The use of the existing and proposed access roads and well site will facilitate the staging of the pipeline construction. A new pipeline length of approximately 8,400' is associated with this well.
- j. **Approximately 1,900' of the proposed new pipeline crosses into Section 27, T10S, R19E in which a ROW is requested with the application.**
- k. Dominion intends on installing the pipeline on the surface by welding many joints into long lengths, dragging the long lengths into position and then completing a final welding pass to join the long lengths together. Dominion intends on connecting the pipeline together utilizing conventional welding technology.

5. Location and Type of Water Supply:

- a. The location and type of water supply has been addressed as number 11 within the previous drilling plan information.

6. Source of Construction Material:

- a. The use of materials will conform to 43 CFR 3610.2-3.
- b. No construction materials will be removed from BLM.
- c. If any gravel is used, it will be obtained from a state approved gravel pit.

7. Methods of Handling Waste Disposal:

- a. All wastes associated with this application will be contained and disposed of utilizing approved facilities.
- b. Drill cuttings will be contained and buried on site.
- c. The reserve pit will be located outboard of the location and along the east side of the pad.
- d. The reserve pit will be constructed so as not to leak, break, or allow any discharge.
- e. The reserve pit will be lined with 12 mil minimum thickness plastic nylon reinforced liner material. The liner will overlay a felt liner pad only if rock is encountered during excavation. The pit liner will overlap the pit walls and be covered with dirt and/or rocks to hold it in place. No trash, scrap pipe, etc., that could puncture the liner will be disposed of in the pit. Pit walls will be sloped no greater than 2:1. A minimum 2-foot freeboard will be maintained in the pit at all times during the drilling and completion operation.
- f. The reserve pit has been located in cut material. Three sides of the reserve pit will be fenced before drilling starts. The fourth side will be fenced as soon as drilling is completed, and shall remain until the pit is dry. After the reserve pit has dried, all areas not needed for production will be rehabilitated.
- g. No chemicals subject to reporting under SARA Title III (hazardous materials) in an amount greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling, testing, or completion of the well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling, testing, or completion of the well.
- h. Trash will be contained in a trash cage and hauled away to an approved disposal site as necessary but no later than at the completion of drilling operations. The contents of the trash container will be hauled off periodically to the approved Uintah County Landfill near Vernal, Utah.
- i. Produced fluids from the well other than water will be produced into a test tank until such time as construction of production facilities is completed. Any spills of oil, gas, salt water or other produced fluids will be cleaned up and removed.

- j. After initial clean-up, a 400 bbl tank will be installed to contain produced waste water. This water will be transported from the tank to an approved Dominion disposal well for disposal.
- k. After first production, produced wastewater will be confined to a lined pit or storage tank for a period not to exceed ninety (90) days. During the 90-day period, an application for approval of a permanent disposal method and location will be applied for in accordance with Onshore Order #7.
- l. Any salts and/or chemicals, which are an integral part of the drilling system, will be disposed of in the same manner as the drilling fluid.
- m. Sanitary facilities will be on site at all times during operations. Sewage will be placed in a portable chemical toilet and the toilet replaced periodically utilizing a licensed contractor to transport by truck the portable chemical toilet so that its contents can be delivered to the Vernal Wastewater Treatment Facility in accordance with state and county regulations.

8. Ancillary Facilities:

- a. Garbage Containers and Portable Toilets are the only ancillary facilities proposed in this application.

9. Well Site Layout: (See Exhibit B)

- a. The well will be properly identified in accordance with 43 CFR 3162.6.
- b. Access to the well pad will be from the southwest.
- c. The pad and road designs are consistent with BLM specification
- d. A pre-construction meeting with a responsible company representative, contractors, and the BLM will be conducted at the project site prior to commencement of surface-disturbing activities. The pad and road will be construction-staked prior to this meeting.
- e. The pad has been staked at its maximum size of 355' X 200'; however it will be constructed smaller if possible, depending upon rig availability. Should the layout change, this application will be amended and approved utilizing a sundry notice.
- f. All surface disturbing activities, will be supervised by a qualified, responsible company representative who is aware of the terms and conditions of the APD and specifications in the approved plans.
- g. All cut and fill slopes will be such that stability can be maintained for the life of the activity.
- h. Diversion ditches will be constructed as shown around the well site to prevent surface waters from entering the well site area.
- i. The site surface will be graded to drain away from the pit to avoid pit spillage during large storm events.
- j. The stockpiled topsoil (first 6 inches or maximum available) will be stored in a windrow on the uphill side of the location to prevent any possible contamination. All topsoil will be stockpiled for reclamation in such a way as to prevent soil loss and contamination.

- k. Pits will remain fenced until site cleanup.
- l. The blooie line will be located at least 100 feet from the well head.
- m. Water injection may be implemented if necessary to minimize the amount of fugitive dust.

10. Plans for Restoration of the Surface:

- a. Site reclamation for a producing well will be accomplished for portions of the site not required for the continued operation of the well.
- b. The Operator will control noxious weeds along access road use authorizations, pipeline route authorizations, well sites, or other applicable facilities by spraying or mechanical removal. A list of noxious weeds may be obtained from the BLM or the appropriate County Extension Office. On BLM administered land, it is required that a Pesticide Use Proposal be submitted and approved prior to the application of herbicides, pesticides or possibly hazardous chemicals.
- c. Upon well completion, any hydrocarbons in the pit shall be removed in accordance with 43 CFR 3162.7-1. Once the reserve pit is dry, the plastic nylon reinforced liner shall be torn and perforated before backfilling of the reserve pit. The reserve pit and that portion of the location not needed for production facilities/operations will be recontoured to the approximate natural contours.
- d. The cut and fill slopes and all other disturbed areas not needed for the production operation will be top soiled and re-vegetated. The stockpiled topsoil will be evenly distributed over the disturbed area.
- e. Prior to reseeding the site, all disturbed areas, including the access road, will be scarified and left with a rough surface. The site will then be seeded and/or planted as prescribed by the BLM. The BLM recommended seed mix is as follows:

Shads Scale	5 pounds per acre
Gardner Salt Brush	3 pounds per acre
Galleta Grass	3 pounds per acre
Crested Wheat Grass	1 pounds per acre

11. Surface and Mineral Ownership:

- a. Both Surface and Mineral Ownership is Federal under the management of the Bureau of Land Management – Vernal Field Office, 170 South 500 East, Vernal, Utah 84078; 435-781-4400.

12. Other Information:

- a. AIA Archaeological will conduct a Class III archeological survey. A copy of the pending report will be submitted under separate cover to the appropriate agencies by AIA Archaeological.
- b. Our understanding of the results of the onsite inspection are:
 - a. No Threatened and Endangered flora and fauna species were found during the onsite inspection.
 - b. No significant nesting raptors species are anticipated in the area since suitable nesting habitat does not exist.

- c. No drainage crossings that require additional State or Federal approval are being crossed.
- d. The BLM will require a burrowing owl survey if construction is anticipated between April 1, and August 15 of any given year.

13. Operator's Representative and Certification

<u>Title</u>	<u>Name</u>	<u>Office Phone</u>
Company Representative (Roosevelt)	Mitchiel Hall	1-435-722-4521
Company Representative (Oklahoma)	Carla Christian	1-405-749-5263
Agent for Dominion	Don Hamilton	1-435-637-4075

Certification:

I hereby certify that I, or persons under my direct supervision, have inspected the proposed drill site and access route; that I am familiar with the conditions which currently exists; that the statements made in this APD package are, to the best of my knowledge, true and correct; and that the work associated with the operations proposed herein will be performed by Dominion Exploration & Production, Inc. and its contractors and subcontractors in conformity with this APD package and the terms and conditions under which it is approved. I also certify responsibility for the operations conducted on that portion of the leased lands associated with this application, with bond coverage being provided under Dominion's BLM bond. This statement is subject to the provisions of 18 U.S.C. 1001 for the filing of a false statement.

Signature: Don Hamilton Date: 6-6-03

DOMINION EXPLR. & PROD., INC.

WHB #11-35E

SECTION 35, T10S, R19E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88; EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH; PROCEED IN A SOUTHERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 9.1 MILES ON THE SEEP RIDGE ROAD TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 2.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE WEST; TURN RIGHT AND PROCEED IN A WESTERLY, THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 0.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTH; TURN RIGHT AND PROCEED IN A NORTHERLY, THEN SOUTHWESTERLY DIRECTION APPROXIMATELY 2.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST; PROCEED IN A SOUTHWESTERLY DIRECTION APPROXIMATELY 2.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHWEST; TURN RIGHT AND PROCEED IN A NORTHWESTERLY DIRECTION APPROXIMATELY 2.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST; TURN LEFT AND PROCEED IN A SOUTHWESTERLY DIRECTION APPROXIMATELY 0.3 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN LEFT AND PROCEED IN A SOUTHERLY, THEN EASTERLY, THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 0.9 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHWEST; TURN RIGHT AND PROCEED IN A SOUTHWESTERLY, THEN SOUTHERLY DIRECTION APPROXIMATELY 0.6 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST; TURN LEFT AND PROCEED IN A SOUTHEASTERLY, THEN SOUTHERLY DIRECTION APPROXIMATELY 0.8 MILES TO THE BEGINNING OF THE PROPOSED ACCESS TO THE EAST; FOLLOW ROAD FLAGS IN AN EASTERLY DIRECTION APPROXIMATELY 450' TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 54.4 MILES.


DOMINION EXPLR. & PROD., INC.

LOCATION LAYOUT FOR


WHB #11-35E

SECTION 35, T10S, R19E, S.L.B.&M.

1863' FSL 2228' FWL



SCALE: 1" = 50'
DATE: 05-12-03
Drawn By: D.R.B.



Elev. Ungraded Ground at Location Stake = 5378.2'
Elev. Graded Ground at Location Stake = 5377.0'

UINTAH ENGINEERING & LAND SURVEYING
85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017


DOMINION EXPLR. & PROD., INC.

TYPICAL CROSS SECTIONS FOR

WHB #11-35E






SECTION 35, T10S, R19E, S.L.B.&M.

1863' FSL 2228' FWL



DATE: 05-12-03

Drawn By: D.R.B.



APPROXIMATE YARDAGES

CUT

(6") Topsoil Stripping = 1,570 Cu. Yds.

Remaining Location = 5,780 Cu. Yds.

TOTAL CUT = 7,350 CU.YDS.

FILL = 4,040 CU.YDS.

EXCESS MATERIAL AFTER
5% COMPACTION

= 3,100 Cu. Yds.

Topsoil & Pit Backfill
(1/2 Pit Vol.)

= 3,100 Cu. Yds.

EXCESS UNBALANCE
(After Rehabilitation)

= 0 Cu. Yds.

UINTAH ENGINEERING & LAND SURVEYING

85 So. 200 East * Vernal, Utah 84078 * (435) 789-1017

DOMINION EXPLR. & PROD., INC.

LOCATED IN UTAH COUNTY, UTAH
SECTION 35, T10S, R19E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: NORTHWESTERLY




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS


CAMERA ANGLE: EASTERLY



Since 1964

Utah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
435-789-1017 uels@uelsinc.com

LOCATION PHOTOS		05 10 03			PHOTO
		MONTH	DAY	YEAR	
TAKEN BY: G.O.	DRAWN BY: P.M.	REVISED: 00-00-00			



LEGEND:

○ PROPOSED LOCATION

DOMINION EXPLR. & PROD., INC.

WHB #11-35E
SECTION 35, T10S, R19E, S.L.B.&M.
1863' FSL 2228' FWL




Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813



TOPOGRAPHIC MAP
05 12 03
MONTH DAY YEAR
SCALE: 1:100,000 DRAWN BY: P.M. REVISED: 00-00-00





R
19
E

T10S
T11S

LEGEND:

- EXISTING ROAD
- PROPOSED ACCESS ROAD
- 18" CMP REQUIRED

DOMINION EXPLR. & PROD., INC.

WHB #11-35E
SECTION 35, T10S, R19E, S.L.B.&M.
1863' FSL 2228' FWL



Utah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813




TOPOGRAPHIC
MAP

05 12 03
MONTH DAY YEAR

SCALE: 1" = 2000' DRAWN BY: P.M. REVISED: 00-00-00

B
TOPO



LEGEND:

- | | |
|-------------------|-------------------------|
| ○ DISPOSAL WELLS | ○ WATER WELLS |
| ● PRODUCING WELLS | ● ABANDONED WELLS |
| ● SHUT IN WELLS | ● TEMPORARILY ABANDONED |

DOMINION EXPLR. & PROD., INC.

WHB #11-35E
SECTION 35, T10S, R19E, S.L.B.&M.
1863' FSL 2228' FWL




Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813



TOPOGRAPHIC MAP
MONTH 05 DAY 12 YEAR 03
SCALE: 1" = 2000' DRAWN BY: P.M. REVISED: 00-00-00





APPROXIMATE TOTAL PIPELINE DISTANCE = 8,400' +/-

LEGEND:

- PROPOSED ACCESS ROAD
- EXISTING PIPELINE
- PROPOSED PIPELINE



DOMINION EXPLR. & PROD., INC.

WHB #11-35E

SECTION 35, T10S, R19E, S.L.B.&M.

1863' FSL 2228' FWL



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC
MAP

05 12 03
MONTH DAY YEAR


SCALE: 1" = 1000'

DRAWN BY: P.M.

REVISED: 00-00-00



CONFIDENTIAL



LEGEND

O = Oil Line
 G = Gas Line
 W = Water Line
 R = Relief Line (Pressure)
 C = Condensate Line
 V = Vent Line
 D = Drain Line
 M = Gas Meter
 P = Pump
 BP = Back Pressure Valve
 SWS = Sealed When Shipping
 SUS = Sealed Unless Shipping
 T = Heat Traced Line
 H = Heater
 BL = Buried Line
 X = Valve
 / = Check Valve
 SC = Sealed Closed Valve
 NC = Normally Closed
 BD = Blowdown Line


The site security plan is on file
 in DEPI's district office located at
 1400 N. State St., Roosevelt, UTah.
 It can be inspected during office
 hours, from 6:30 AM thru 3:30 PM,
 Monday thru Friday..

DOMINION EXPLORATION & PRODUCTION, INC.


ell:

not to scale

BOF STACK



CHOKE MANIFOLD



003

WORKSHEET
APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 06/11/2003

API NO. ASSIGNED: 43-047-35053

WELL NAME: WHB 11-35E

OPERATOR: DOMINION EXPL & PROD (N1095)

CONTACT: DON HAMILTON

PHONE NUMBER: 435-687-5310

PROPOSED LOCATION:

NESW 35 100S 190E

SURFACE: 1863 FSL 2228 FWL

BOTTOM: 1863 FSL 2228 FWL

UINTAH

NATURAL BUTTES (630)

LEASE TYPE: 1 - Federal

LEASE NUMBER: UTU-3405

SURFACE OWNER: 1 - Federal

PROPOSED FORMATION: MVRD

INSPECT LOCATN BY: / /

Tech Review	Initials	Date
Engineering		
Geology		
Surface		

LATITUDE: 39.90146

LONGITUDE: 109.74970

RECEIVED AND/OR REVIEWED:

☒ Plat
☒ Bond: Fed[1] Ind[] Sta[] Fee[]
(No. 76S630500330)
N Potash (Y/N)
N Oil Shale 190-5 (B) or 190-3 or 190-13
☒ Water Permit
(No. 43-10447)
N RDCC Review (Y/N)
(Date:)
NA Fee Surf Agreement (Y/N)


LOCATION AND SITING:

___ R649-2-3.
Unit _____
___ R649-3-2. General
Siting: 460 From Qtr/Qtr & 920' Between Wells
☒ R649-3-3. Exception
___ Drilling Unit
Board Cause No: _____
Eff Date: _____
Siting: _____
___ R649-3-11. Directional Drill

COMMENTS:

STIPULATIONS:

1- Federal Approval
2- Spacing Strip




OPERATOR: DOMINION EXPL & PROD (N1095)

SEC. 35 T.10S, R.19E

FIELD: NATURAL BUTTES (630)

COUNTY: UTAH

SPACING: R649-3-3 / EXCEPTION LOCATION



Utah Oil Gas and Mining



PREPARED BY: DIANA MASON
DATE: 16-JUNE-2003



State of Utah
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

Michael O. Leavitt
Governor

Kathleen Clarke
Executive Director

Lowell P. Braxton
Division Director

1594 West North Temple, Suite 1210

PO Box 145801

Salt Lake City, Utah 84114-5801

801-538-5340

801-359-3940 (Fax)

801-538-7223 (TDD)

June 17, 2003

Dominion Exploration & Production, Inc.
14000 Quail Springs Parkway, Suite 600
Oklahoma City, OK 73134

Re: Wild Horse Bench 11-35E Well, 1863' FSL, 2228' FWL, NE SW, Sec. 35, T. 10 South,
R. 19 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann. § 40-6-1 *et seq.*, Utah Administrative Code R649-3-1 *et seq.*, and the attached Conditions of Approval, approval to drill the referenced well is granted.

Appropriate information has been submitted to DOGM and administrative approval of the requested exception location is hereby granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-35053.

Sincerely,

A handwritten signature in cursive script, reading 'John R. Baza'.

John R. Baza
Associate Director

pab
Enclosures

cc: Uintah County Assessor
Bureau of Land Management, Vernal District Office

Operator: Dominion Exploration & Production, Inc.
Well Name & Number Wild Horse Bench 11-35E
API Number: 43-047-35053
Lease: UTU-3405

Location: NE SW Sec. 35 T. 10 South R. 19 East

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

- Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

- Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

4. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.

5. This proposed well is located in an area for which drilling units (well spacing patterns) have not been established through an order of the Board of Oil, Gas and Mining (the "Board"). In order to avoid the possibility of waste or injury to correlative rights, the operator is requested, once the well has been drilled, completed, and has produced, to analyze geological and engineering data generated therefrom, as well as any similar data from surrounding areas if available. As soon as is practicable after completion of its analysis, and if the analysis suggests an area larger than the quarter-quarter section upon which the well is located is being drained, the operator is requested to seek an appropriate order from the Board establishing drilling and spacing units in conformance with such analysis by filing a Request for Agency Action with the Board.

005

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

APPLICATION FOR PERMIT TO DRILL OR DEEPEN

1a. TYPE OF WORK DRILL <input checked="" type="checkbox"/> DEEPEN <input type="checkbox"/>		5. LEASE DESIGNATION AND SERIAL NO. UTU-3405
b. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER <input type="checkbox"/> SINGLE ZONE <input checked="" type="checkbox"/> MULTIPLE ZONE <input type="checkbox"/>		6. IF INDIAN, ALLOTTEE OR TRIBE NAME N/A
2. NAME OF OPERATOR Dominion Exploration & Production, Inc.		7. UNIT AGREEMENT NAME Wild Horse Bench Prospect
3. ADDRESS AND TELEPHONE NO. 14000 Quail Springs Parkway, Suite 600, Oklahoma City, OK 73134 405-749-6690		8. FARM OR LEASE NAME, WELL NO. WHB 11-35E
4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements. *) At surface 1,863' FSL, 2,228' FWL NE/4 SW/4 At proposed prod. zone 1,863' FSL, 2,228' FWL NE/4 SW/4		9. API WELL NO. 43047 35053
14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* 13.49 miles southwest of Ouray, Utah		10. FIELD AND POOL, OR WILDCAT Natural Buttes
15. DISTANCE FROM PROPOSED* LOCATION TO NEAREST PROPERTY OR LEASE LINE, FT. (Also to nearest drig. unit line, if any) 1,863'	16. NO. OF ACRES IN LEASE 1,600	11. SEC., T., R., M., OR BLK. Section 35
18. DISTANCE FROM PROPOSED LOCATION TO NEAREST WELL, DRILLING, COMPLETED, OR APPLIED FOR, ON THIS LEASE, FT. 1,467'	19. PROPOSED DEPTH 8,000'	12. COUNTY OR PARISH Uintah
21. ELEVATIONS (Show whether DF, RT, GR, etc.) 5,378' GR		13. STATE Utah
20. ROTARY OR CABLE TOOLS Rotary		17. NO. OF ACRES ASSIGNED TO THIS WELL 40 acres
22. APPROX. DATE WORK WILL START* March 15, 2004		

23. PROPOSED CASING AND CEMENTING PROGRAM				
SIZE OF HOLE	GRADE, SIZE OF CASING	WEIGHT PER FOOT	SETTING DEPTH	QUANTITY OF CEMENT
17-1/2"	13-3/8" H-40 ST&C	48#	500'	450 sacks Class C cement + 2% CaCl ₂ + 1/4 #/sk. Poly-E-Flakes
12-1/4"	8-5/8" J-55 LT&C	32#	2,200'	385 sacks Lead and 370 sacks Tail (see Drilling Plan)
7-7/8"	5-1/2" Mav-80 LT&C	17#	8,000'	160 sacks Lead and 435 sacks Tail (see Drilling Plan)

Bond Information:

Bond coverage is provided by Travelers Casualty and Surety Company of America, Bond #765 63050 0330

Other Information:

Drilling Plan and Surface Use Plan are attached.
Dominion requests that this complete application for permit to drill be held confidential. DIV. OF OIL, GAS & MINING
A request for exception to spacing (R649-3-2) is hereby requested based on topography since the well is located within 460' of the drilling unit boundary. Dominion Exploration & Production, Inc. is the only owner and operator within 460' of the proposed well.

RECEIVED
OCT 21 2003

CONFIDENTIAL

IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen, give data present productive zone and proposed new productive zone. If proposal is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any.

24. SIGNED Don Hamilton Don Hamilton TITLE Agent for Dominion DATE June 6, 2003

(This space for Federal or State office use)

PERMIT NO. _____ APPROVAL DATE _____

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. CONDITIONS OF APPROVAL, IF ANY:

APPROVED BY E. J. [Signature] TITLE ACTING Assistant Field Manager Mineral Resources DATE 10/10/03

NOTICE OF APPROVAL

*See Instructions On Reverse Side

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency or the

CONDITIONS OF APPROVAL ATTACHED

03P50424A

CONDITIONS OF APPROVAL
APPLICATION FOR PERMIT TO DRILL

Company/Operator: Dominion Exploration & Production Inc.

Well Name & Number: WHB 11-35E

API Number: 43-047-35053

Lease Number: UTU - 3405

Location: NESW Sec. 35 TWN: 10S RNG: 19E

Agreement: N/A

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL FOR NOTICE TO DRILL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Submit an electronic copy of all logs run on this well in LAS format. This submission will replace the requirement for submittal of paper logs to the BLM.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. DRILLING PROGRAM

1. Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected to be Encountered

Report ALL water shows and water-bearing sands encountered to John Mayers of this office prior to setting the next casing string or requesting plugging orders. Faxed copies of State of Utah form OGC-8-X are acceptable. If noticeable water flows are detected, submit samples to this office along with any water analyses conducted.

All usable water and prospectively valuable minerals (as described by BLM at onsite) encountered during drilling will be recorded by depth and adequately protected. All oil and gas shows will be tested to determine commercial potential.

2. Pressure Control Equipment

The BOP and related equipment shall meet the minimum requirements of Onshore Oil and Gas Order No. 2 for equipment and testing requirements, procedures, etc., for a **3M** system and individual components shall be operable as designed. Chart recorders shall be used for all pressure tests.

Test charts, with individual test results identified, shall be maintained on location while drilling and shall be made available to a BLM representative upon request.

If an air compressor is on location and is being utilized to provide air for the drilling medium while drilling, the special drilling requirements in Onshore Oil and Gas Order No. 2, regarding air or gas drilling shall be adhered to. If a mist system is being utilized then the requirement for a deduster shall be waived.

3. Casing Program and Auxiliary Equipment

Surface casing shall have centralizers on the bottom three joints, with a minimum of one centralizer per joint. Surface casing setting depths are based on ground level elevations only.

As a minimum, the usable water shall be isolated and/or protected by having a cement top for the intermediate casing at least 200 ft. above the top of the Green River Formation, identified at ± 980 ft and having a cement top for the production casing at least 200 ft. above the base of the usable water zone, identified at $\pm 4,380$ ft. If gilsonite is encountered while drilling, it shall be isolated and/or protected via the cementing program.

4. Mud Program and Circulating Medium

Hazardous substances specifically listed by the EPA as a hazardous waste or demonstrating a characteristic of a hazardous waste will not be used in drilling, testing, or completion operations.

No chromate additives will be used in the mud system on Federal and Indian lands without prior BLM approval to ensure adequate protection of fresh water aquifers.

5. Coring, Logging and Testing Program

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

All Drill Stem tests (DST) shall be accomplished during daylight hours, unless specific approval to start during other hours is obtained from the AO. However, DSTs may be allowed to continue at night if the test was initiated during daylight hours and the rate of flow is stabilized and if adequate lighting is available (i.e., lighting which is adequate for visibility and vapor proof for safe operations). Packers can be released, but tripping should not begin before daylight unless prior approval is obtained from the AO.

A cement bond log (CBL) will be run from the production casing shoe to top of the cement and shall be utilized to determine the bond quality for the production casing. Submit a field copy of the CBL to this office.

Whether the well is completed as a dry hole or as a producer, "Well Completion and Recompletion Report and Log" (Form 3160-4) will be submitted not later than 30 days after completion of the well or after completion of operations being performed, in accordance with 43 CFR 3164. Two copies of all logs, core descriptions, core analyses, well-test data, geologic summaries, sample description, and all other surveys or data obtained and compiled during the drilling, workover, and/or completion operations, will be filed with Form 3160-4. Samples (cuttings, fluids, and/or gases) will be submitted when requested by the AO.

6. Notifications of Operations

No location will be constructed or moved, no well will be plugged, and no drilling or workover equipment will be removed from a well to be placed in a suspended status without prior approval of the AO. If operations are to be suspended, prior approval of the AO will be obtained and notification given before resumption of operations.

Operator shall report production data to MMS pursuant to 30 CFR 216.5 using form MMS/3160.

Immediate Report: Spills, blowouts, fires, leaks, accidents, or any other unusual occurrences shall be promptly reported in accordance with the requirements of NTL-3A or its revision.

If a replacement rig is contemplated for completion operations, a "Sundry Notice" (Form 3160-5) to that effect will be filed, for prior approval of the AO, and all conditions of this approved plan are applicable during all operations conducted with the replacement rig. The date on which production is commenced or resumed will be construed for oil wells as the date on which liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which liquid hydrocarbons are first produced into a permanent storage facility, whichever first occurs; and, for gas wells as the date on which associated liquid hydrocarbons are first sold or shipped from a temporary storage facility, such as a test tank, and for which a run ticket is required to be generated or, the date on which gas is first measured through permanent metering facilities, whichever first occurs.

Should the well be successfully completed for production, the AO will be notified when the well is placed in a producing status. Such notification will be sent by telegram or other written communication, not later than five (5) days following the date on which the well is placed on production.

Gas produced from this well may not be vented or flared beyond an initial authorized test period of 30 days or 50 MMCF following its completion, whichever occurs first, without the prior written approval of the Authorized Officer. Should gas be vented or flared without approval beyond the authorized test period, the operator may be directed to shut-in the well until the gas can be captured or approval to continue venting or flaring as uneconomic is granted and the operator shall be required to compensate the lessor for that portion of the gas vented or flared without approval which is determined to have been avoidably lost.

A schematic facilities diagram as required by 43 CFR 3162.7-5(d) shall be submitted to the appropriate Field Office within 60 days of installation or first production, whichever occurs first. All site security regulations as specified in Onshore Oil & Gas Order No. 3 shall be adhered to. All product lines entering and leaving hydrocarbon storage tanks will be effectively sealed in accordance with 43 CFR 3162.7-5 (1).

No well abandonment operations will be commenced without the prior approval of the AO. In the case of newly drilled dry holes or failures, and in emergency situations, oral approval will be obtained from the AO. A "Subsequent Report of Abandonment" Form 3160-5, will be filed with the AO within thirty (30) days following completion of the well for abandonment. This report will indicate where plugs were placed and the current status of surface restoration. Final abandonment will not be approved until the surface reclamation work required by the approved APD or approved abandonment notice has been completed to the satisfaction of the AO or his representative, or the appropriate Surface Managing Agency.

7. Other Information

All loading lines will be placed inside the berm surrounding the tank battery.

All off-lease storage, off-lease measurement, or commingling on-lease or off-lease will have prior written approval from the AO.

The oil and gas measurement facilities will be installed on the well location. The oil and gas meters will be calibrated in place prior to any deliveries and tested for meter accuracy at least quarterly thereafter. The AO will be provided with a date and time for the initial meter calibration and all future meter proving schedules. A copy of the meter calibration reports will be submitted to the Vernal District Office.

All meter measurement facilities will conform with Onshore Oil & Gas Order No. 4 for liquid hydrocarbons and Onshore Oil & Gas Order No. 5 for natural gas measurement.

The use of materials under BLM jurisdiction will conform to 43 CFR 3610.2-3.

There will be no deviation from the proposed drilling and/or workover program without prior approval from the AO. Safe drilling and operating practices must be observed. All wells, whether drilling, producing, suspended, or abandoned will be identified in accordance with 43 CFR 3162.

"Sundry Notice and Report on Wells" (Form 3160-5) will be filed for approval for all changes of plans and other operations in accordance with 43 CFR 3162.3-2.

Section 102(b)(3) of the Federal Oil and Gas Royalty Management Act of 1982, as implemented by the applicable provisions of the operating regulations at Title 43 CFR 3162.4-1(c), requires that "not later than the 5th business day after any well begins production on which royalty is due anywhere on a lease site or allocated to a lease site, or resumes production in the case of a well which has been off production for more than 90 days, the operator shall notify the authorized officer by letter or sundry notice, Form 3160-5, or orally to be followed by a letter or sundry notice, of the date on which such production has begun or resumed."

If you fail to comply with this requirement in the manner and time allowed, you shall be liable for a civil penalty of up to \$10,000 per violation for each day such violation continues, not to exceed a maximum of 20 days. See Section 109(c)(3) of the Federal Oil and Gas Royalty Management Act of 1982 and the implementing regulations at Title 43 CFR 3162.4-1(b)(5)(ii).

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, you must contact one of the following individuals:

Ed Forsman (435) 828-7874
Petroleum Engineer

Kirk Fleetwood (435) 828-7875
Petroleum Engineer

BLM FAX Machine (435) 781-4410

EPA'S LIST OF NONEXEMPT EXPLORATION AND PRODUCTION WASTES

While the following wastes are nonexempt, they are not necessarily hazardous.

Unused fracturing fluids or acids

Gas plant cooling tower cleaning wastes

Painting wastes

Oil and gas service company wastes, such as empty drums, drum rinsate, vacuum truck rinsate, sandblast media, painting wastes, spent solvents, spilled chemicals, and waste acids

Vacuum truck and drum rinsate from trucks and drums, transporting or containing nonexempt waste

Refinery wastes

Liquid and solid wastes generated by crude oil and tank bottom reclaimers

Used equipment lubrication oils

Waste compressor oil, filters, and blowdown

Used hydraulic fluids

Waste solvents

Waste in transportation pipeline-related pits

Caustic or acid cleaners

Boiler cleaning wastes

Boiler refractory bricks

Incinerator ash

Laboratory wastes

Sanitary wastes

Pesticide wastes

Radioactive tracer wastes

Drums, insulation and miscellaneous solids

CONDITIONS OF APPROVAL

For The Surface Use Program Of The
Application For Permit To Drill

Company/Operator: Dominion Exploration and Production Inc. API Number:
Well Name & Number: WHB 11-35E Surface Ownership:
BLM
Lease Number: UTU3405 Date NOS Received: 4/16/03
Location: NESW Sec. 35, T10S, R19E Date APD Received: 6/11/03

- No construction or surface disturbing activities can occur from April 1 to August 15 to protect burrowing owl nesting habitat. This may be waived if a qualified biologist completes detailed burrowing owl surveys of the proposed routes.
- Line the pit with plastic and felt.
- In order to minimize watershed damage during muddy and wet periods, the authorized officer of the BLM may prohibit surface disturbing activities.
- The seed mix for this location shall be:

Shadscale	<i>Atriplex confertifolia</i>	5 lbs./acre
Galleta grass	<i>Hilaria jamesii</i>	3 lbs./acre
Crested wheatgrass	<i>Agropyron cristatum</i>	1 lbs./acre
Gardner saltbush	<i>Atriplex gardneri</i>	3 lbs./acre

-All pounds are in pure live seed.

-Reseeding may be required if first seeding is not successful.

- 4 to 6 inches of topsoil should be stripped from the location and windrowed as shown on the cut sheet. The topsoil shall then be broadcast seeded with the recommended seed mix immediately after it has been windrowed and the seed walked into the soil with a dozer.
- The topsoil from the reserve pit should be stripped and piled separately near the reserve pit. When the reserve pit is closed, it shall be recontoured and the topsoil respread, and the area shall be seeded in the same manner as the location topsoil.
- Once the location is plugged and abandoned, it shall be recontoured to natural contours, topsoil respread where appropriate, and the entire location seeded with the recommended seed mix. Seeding should take place by broadcasting the seed and walking it into the soil with a dozer immediately after the dirt work is completed.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

006

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

CONFIDENTIAL

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. UTU-3405
2. Name of Operator DOMINION EXPL. & PROD., INC.		6. If Indian, Allottee or Tribe Name
3a. Address 14000 QUAIL SPRINGS PARKWAY, SUITE 600 OKLAHOMA CITY, OK 73134		7. If Unit or CA/Agreement, Name and/or No.
3b. Phone No. (include area code) Ph: 405.749.5263 Fx: 405.749.6690		8. Well Name and No. WILD HORSE BENCH 11-35E
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 35 T10S R19E NESW 1863FSL 2228FWL		9. API Well No. 43-047-35053
		10. Field and Pool, or Exploratory NATURAL BUTTES
		11. County or Parish, and State UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Change to Original A
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	PD

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

The state APD for this well expires June 17, 2004. Dominion is hereby requesting a one year extension.

COPY SENT TO OPERATOR
Date: 6-18-04
Initials: CHD

14. I hereby certify that the foregoing is true and correct.

**Electronic Submission #31638 verified by the BLM Well Information System
For DOMINION EXPL. & PROD., INC., sent to the Vernal**

Name (Printed/Typed) CARLA CHRISTIAN	Title AUTHORIZED REPRESENTATIVE
Signature <i>Carla Christian</i> (Electronic Submission)	Date 06/08/2004

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By <i>Bradley G. Hill</i>	Title BRADLEY G. HILL ENVIRONMENTAL SCIENTIST III	Date 06-15-04
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED**

RECEIVED

JUN 14 2004

DIV. OF OIL, GAS & MINING

**Application for Permit to Drill
Request for Permit Extension
Validation**

(this form should accompany the Sundry Notice requesting permit extension)

API: 43-047-35053
Well Name: Wild Horse Bench 11-35E
Location: Section 35-10S-19E, 1863' FSL & 2228' FWL
Company Permit Issued to: Dominion Exploration & Production, Inc.
Date Original Permit Issued: 6/17/2003

The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.

If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes ☐ No ☐

Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes ☐ No ☒

Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes ☐ No ☒

Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes ☐ No ☒

Has the approved source of water for drilling changed? Yes ☐ No ☒

Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes ☐ No ☒

Is bonding still in place, which covers this proposed well? Yes ☒ No ☐

Carla Christian
Signature

6/8/2004

Date

Title: Regulatory Specialist

Representing: Dominion Exploration & Production, Inc.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side.

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other		5. Lease Serial No. UTU3405
2. Name of Operator DOMINION EXPL & PRODUCTION INC		6. If Indian, Allottee or Tribe Name
Contact: CARLA CHRISTIAN E-Mail: Carla_M_Christian@dom.com		7. If Unit or CA/Agreement, Name and/or No.
3a. Address 14000 QUAIL SPRINGS PKWY, #600 OKLAHOMA CITY, OK 73134-2600	3b. Phone No. (include area code) Ph: 405.749.5263 Fx: 405.749.6690	8. Well Name and No. WILD HORSE BENCH 11-35E
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 35 T10S R19E NESW 1863FSL 2228FWL		9. API Well No. 43-047-35053-00-X1
		10. Field and Pool, or Exploratory NATURAL BUTTES
		11. County or Parish, and State UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	Change to Original A
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	PD

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

The state APD for this well expires June 17, 2004. Dominion is hereby requesting a one year extension.

14. I hereby certify that the foregoing is true and correct. Electronic Submission #31638 verified by the BLM Well Information System For DOMINION EXPL & PRODUCTION INC, sent to the Vernal Committed to AFMSS for processing by LESLIE WALKER on 06/16/2004 (04LW3823SE)	
Name (Printed/Typed) CARLA CHRISTIAN	Title AUTHORIZED REPRESENTATIVE
Signature (Electronic Submission)	Date 06/08/2004

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved By <u>KIRK FLEETWOOD</u>	Title <u>PETROLEUM ENGINEER</u>	Date <u>06/21/2004</u>
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		Office <u>Vernal</u>

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ** BLM REVISED ****

Revisions to Operator-Submitted EC Data for Sundry Notice #31638

	Operator Submitted	BLM Revised (AFMSS)
Sundry Type:	APDCH NOI	APDCH NOI
Lease:	UTU-3405	UTU3405
Agreement:		
Operator:	DOMINION EXPL. & PROD., INC. 14000 QUAIL SPRINGS PARKWAY, SUITE 600 OKLAHOMA CITY, OK 73134 Ph: 405.749.5263 Fx: 405.749.6690	DOMINION EXPL & PRODUCTION INC 14000 QUAIL SPRINGS PKWY, #600 OKLAHOMA CITY, OK 73134-2600 Ph: 405.749.5273
Admin Contact:	CARLA CHRISTIAN AUTHORIZED REPRESENTATIVE E-Mail: Carla_M_Christian@dom.com Ph: 405.749.5263 Fx: 405.749.6690	CARLA CHRISTIAN AUTHORIZED REPRESENTATIVE E-Mail: Carla_M_Christian@dom.com Ph: 405.749.5263 Fx: 405.749.6690
Tech Contact:		
Location:		
State:	UT	UT
County:	UINTAH	UINTAH
Field/Pool:	NATURAL BUTTES	NATURAL BUTTES
Well/Facility:	WILD HORSE BENCH 11-35E Sec 35 T10S R19E NESW 1863FSL 2228FWL	WILD HORSE BENCH 11-35E Sec 35 T10S R19E NESW 1863FSL 2228FWL

Dominion Exploration and Prod. Inc.
APD Extension

Well: Wild Horse 11-35E

Location: NESW Sec. 35, T10S, R19E

Lease: U-3405

Conditions of Approval

An extension for the referenced APD is granted with the following condition(s):

1. The extension will expire 10/10/05
2. No other extensions beyond that time frame will be granted or allowed.

If you have any other questions concerning this matter, please contact Kirk Fleetwood at (435) 781-4486.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires November 30, 2000

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE - Other instructions on reverse side

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator

EOG Resources, Inc.

N 9550

3a. Address

600 17th Street, Suite 1100N, Denver, CO 80202

3b. Phone No. (include area code)

(303) 824-5574

4. Location of Well (Footage, Sec., T, R., M., or Survey Description)

NESW, 1863' FSL & 2228' FWL

Section 35-T10S-R19E

5. Lease Serial No.

UTU-3405

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

WHB 11-35E

9. API Well No.

43-047-35053

10. Field and Pool, or Exploratory Area

Natural Buttes

11. County or Parish, State

Uintah County, Utah

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION

TYPE OF ACTION

☒ Notice of Intent

☐ Subsequent Report

☐ Final Abandonment Notice

☐ Acidize

☐ Alter Casing

☐ Casing Repair

☐ Change Plans

☐ Convert to Injection

☐ Deepen

☐ Fracture Treat

☐ New Construction

☐ Plug and Abandon

☐ Plug Back

☐ Production (Start/Resume)

☐ Reclamation

☐ Recomplete

☐ Temporarily Abandon

☐ Water Disposal

☐ Water Shut-Off

☐ Well Integrity

☒ Other Change of Operator

3. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Please be advised that EOG Resources, Inc. is considered to be the operator of the above referenced well and is responsible under the terms and conditions of the lease for the operations conducted upon the leased lands. The effective date of change is August 1, 2004. EOG's BLM Nationwide Bond No. is NM-2308.

Dominion Exploration & Production, Inc.
14000 Quail Springs Parkway, Suite 600
Oklahoma City, OK 73134

N1095

Date 8-17-2004

J.C. Welch, Attorney-in-Fact

APPROVED 9/30/04

Earlene Russell

Division of Oil, Gas and Mining

Earlene Russell, Engineering Technician

RECEIVED

AUG 23 2004

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Sheila Bremer

Title Regulatory Coordinator

Signature

Date

8/19/04

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by (Signature)

Name

(Printed/Typed)

Title

Office

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Continued on next page)



United States Department of the Interior

BUREAU OF LAND MANAGEMENT

Vernal Field Office

170 South 500 East

Vernal, UT 84078

(435) 781-4400 Fax: (435) 781-4410

<http://www.blm.gov/utah/vernal>



IN REPLY REFER TO:

3162.3

UT08300

August 27, 2004

Sheila Bremer
EOG Resources, Inc.
600 17th Street, Suite 1100N
Denver, Colorado 80202

Re: Well No. WHB 11-35E
NESW, Sec. 35, T10S, R19E
Uintah County, Utah
Lease No. UTU-3405

Dear Ms. Bremer:

This correspondence is in regard to the self-certification statement submitted requesting a change in operator for the referenced well. After a review by this office, the change in operator request is approved. Effective immediately, EOG Resources, Inc. is responsible for all operations performed on the referenced well. All liability will now fall under your bond, BLM Bond No. NM2308, for all operations conducted on the referenced well on the leased land.

If you have any other questions concerning this matter, please contact Leslie Walker of this office at (435) 781-4497.

Sincerely,

Kirk Fleetwood
Petroleum Engineer

cc: UDOGM
Dominion Expl. & Prod. Inc.

RECEIVED

AUG 30 2004

DIV. OF OIL, GAS & MINING

CONFIDENTIAL

FORM 9

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

009

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-3405
2. NAME OF OPERATOR: EOG RESOURCES, INC.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: P.O. BOX 1910 CITY VERNAL STATE UT ZIP 84078		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1863' FSL, 2228' FWL		8. WELL NAME and NUMBER: WILD HORSE BENCH 11-35E
PHONE NUMBER: (435) 789-4120		9. API NUMBER: 4304735053
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NESW 35 10S 19E		10. FIELD AND POOL, OR WILDCAT: NATURAL BUTTES
COUNTY: UINTAH		STATE: UTAH

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input checked="" type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

EOG Resources, Inc. is requesting authorization to revise the drilling procedure on the subject well. These changes include changes in the casing, cement, float equipment, and mud program. A revised drilling plan is attached.

COPY SENT TO OPERATOR
Date: 10-20-04
Initials: CHD

NAME (PLEASE PRINT) Ed Trotter
SIGNATURE *Ed Trotter*

TITLE Agent
DATE 8/26/2004

(This space for State use only)

Accepted by the
Utah Division of
Oil, Gas and Mining

Federal Approval Of This
Action Is Necessary

RECEIVED
SEP 01 2004

Date: 10/20/04 * Op. change 9/30/04

By: *[Signature]* (See instructions on Reverse Side)

* prod. csg. amt should be brought back to 4000' min. of oil casing
insufficient volumes listed in drilling program

EIGHT POINT PLAN

CONFIDENTIAL

WILD HORSE BENCH 11-35E NE/SE, SEC. 35, T10S, R19E, S.L.B.&M. UINTAH COUNTY, UTAH

1. & 2. ESTIMATED TOPS & ANTICIPATED OIL, GAS, & WATER ZONES:

FORMATION	DEPTH (KB)
Green River	2,361'
Wasatch	4,307'
North Horn	6,505'
KMV Price River	7,871'

EST. TD: 8,000'

Anticipated BHP 3500 PSI

3. PRESSURE CONTROL EQUIPMENT: A 5M BOP will be used on the Production Hole only. (See attached BOP Diagram), Pressure Control Equipment will not be used on the Surface Hole.

4. CASING PROGRAM:

<u>HOLE SIZE</u>	<u>INTERVAL</u>	<u>LENGTH</u>	<u>SIZE</u>	<u>WEIGHT</u>	<u>GRADE</u>	<u>THREAD</u>	<u>MINIMUM SAFETY FACTOR</u>		
							<u>COLLAPSE</u>	<u>BURST</u>	<u>TENSILE</u>
20"	0' - 45' +/- GL	45' +/-	13 3/8"	48.0 #	H-40	ST&C	770 PSI	1730 PSI	322,000#
12 1/4"	45' - 2300' +/- KB	2300' +/-	9 5/8"	36.0 #	J-55	ST&C	2020 PSI	3520 PSI	394,000#
7 7/8"	2300' - TD +/- KB	8000' +/-	4 1/2"	11.6 #	N-80	LT&C	6350 PSI	7780 PSI	223,000#

The 12 1/4" Intermediate hole will be drilled to a total depth of 200' below the base of the Green River lost circulation zone and 9 5/8" casing will be set to that depth. Actual setting depth of the 9 5/8" casing may be less than 2300' in this well.

All casing will be new or inspected.

5. Float Equipment:

CONDUCTOR HOLE PROCEDURE (0-45' Below GL):

None

SURFACE HOLE PROCEDURE (45'-2300'):

Guide Shoe

Insert Float Collar (PDC drillable)

Cents.: 1-5' above shoe, top of jts. #2 and #3 then every 5th joint to surface.

PRODUCTION HOLE PROCEDURE 2300'-TD:

FS, 1 joint of casing, FC, and balance of casing to surface.

WILD HORSE BENCH 11-35E
NE/SE, SEC. 35, T10S, R19E, S.L.B.&M.
UINTAH COUNTY, UTAH

6. MUD PROGRAM

CONDUCTOR HOLE PROCEDURE (0-45' Below GL):

Dry or light mud as needed to support drilling by Bucket Rig.

SURFACE HOLE PROCEDURE (45'-2300'):

Air, Air Mist and Water (circulate through reserve pit) with Gel/LCM sweeps.

PRODUCTION HOLE PROCEDURE 2300'-TD:

2300' - 4500' Water (circulate through reserve pit) with Gel/LCM sweeps.

4500' - 6900' Close in mud system. "Mud up" with **6.0 ppb** Diammonium Phosphate (DAP). Drill with DAP water, POLYPLUS for viscosity and hole cleaning, adding KLA-GARD B for supplemental inhibition. Also sweep hole periodically w/ Durogel / LCM sweeps to clean the hole and seal loss zones. Add additional LCM as hole dictates. Mud weight and vis as needed, water loss – no control.

6900' - TD Discontinue KLA-GARD B. Utilize POLYPAC-R for fluid loss control. Maintain **5.5 ppb** DAP. **Do not mix caustic or lime.** Maintain 7.5-8.5 pH. Weight up system and add vis as hole conditions require. Run LCM sweep periodically to seal off loss zones or more often as hole dictates. Water loss: 20 cc's maximum. Expect increasing gas shows requiring heavier mud weights from top of Island onward. Treat CO₂ contamination with DESCO CF and OSIL (Oxygen scavenger) if mud properties dictate.

7. VARIANCE REQUESTS:

- A. EOG Resources, Inc. requests a variance to regulations requiring a straight run blooie line (Where possible, a straight run blooie line will be used).
- B. EOG Resources, Inc. requests a variance to regulations requiring an automatic ignitor or continuous pilot light on the blooie line. (Not required on aerated water system).
- C. EOG Resources, Inc. requests a variance to regulations requiring the blooie line to be 100' in length. To reduce location excavation, the blooie line will be 75' in length.

8. EVALUATION PROGRAM:

Logs: Schlumberger Platform Express TD – Surface Casing, with Di-pole Sonic from TD to surface in 1 run.

EIGHT POINT PLAN

CONFIDENTIAL

WILD HORSE BENCH 11-35E NE/SE, SEC. 35, T10S, R19E, S.L.B.&M. UINTAH COUNTY, UTAH

9. CEMENT PROGRAM:

CONDUCTOR HOLE PROCEDURE (0-45' Below GL):

Cement to surface with Redi-Mix cement

SURFACE HOLE PROCEDURE (45'-2300'+/-):

Option #1: Well circulates or drills with air.

Tail: 500' of Class 'G' mixed at 15.8 ppg w/ 2% CaCl₂ & 0.25 pps Flocele + 35% Excess or Type 5 Cement mixed at 15.6 ppg w/ 2% CaCl₂ & 0.25 pps Flocele + 35% Excess.

Lead: Hi-Fill Cement mixed at 11 ppg with 16% Gel, 10#/sx Gilsonite, 3% salt, 3#/sx GR-3 and 0.25 #/sx Flocele plus 35% Excess to get cement returns to surface.

Option #2: Well does not circulate.

Class 'G' cement mixed at 15.8 ppg w/ 2% CaCl₂ & 0.25 pps Flocele + 35% Excess or Type % 5 Cement mixed at 15.6 ppg w/ 2% CaCl₂ & 0.25 pps Flocele + 35% Excess to 100' above the lost circulation zone and top out with same with 3-4% CaCl₂ to get cement returns to surface.

PRODUCTION HOLE PROCEDURE 2300'-TD:

Lead: 110 sks 35:65 Poz G w/ 4% D20 (Bentonite), 2% D174 (Extender), 0.2% D65 (Dispersant), 0.2% D46 (Antifoam), 0.75% D112 (Fluid Loss Additive), 0.15% D13 (Retarder), 0.25 pps D29 (cello flakes), mixed at 13.0 ppg, 1.73 cu. ft./sk., 9.06 gps water

Tail: 190 sks: 50:50 Poz G w/ 2% D20 (Bentonite), 0.1% D46 (Antifoam), 0.15% D13 (Retarder), 0.2% D167 (Fluid Loss Additive), 0.2% D65 (Dispersant), mixed at 14.1 ppg, 1.28 cu. ft./sk., 5.9 gps water.

10. ABNORMAL CONDITIONS:

SURFACE HOLE (45'-2300')

Potential Problems: Lost circulation below 1800' and minor amounts of gas may be present.

PRODUCTION HOLE 2300'-TD

Potential Problems: Sloughing shales and key seat development are possible in the Wasatch Formation. CO₂ contamination in the mud is possible in the Price River (Mesa Verde).

EIGHT POINT PLAN

CONFIDENTIAL

WILD HORSE BENCH 11-35E
NE/SE, SEC. 35, T10S, R19E, S.L.B.&M.
UINTAH COUNTY, UTAH

11. STANDARD REQUIRED EQUIPMENT:

- A. Choke Manifold
- B. Kelly Cock
- C. Stabbing Valve
- D. Visual Mud Monitoring

12. HAZARDOUS CHEMICALS:

No chemicals subject to reporting under SARA title III in an amount equal to or greater than 10,000 pounds will be used, produced, stored, transported, or disposed of annually in association with the drilling of this well. Furthermore, no extremely hazardous substances, as defined in 40 CFR 355, in threshold planning quantities, will be used, produced, stored, transported, or disposed of in association with the drilling of this well.


(Attachment: BOP Schematic Diagram)

5000 PSIG DIAGRAM

ANNULAR PREVENTOR AND BOTH RAMS ARE 5000 PSIG RATED.
CASING FLANGE IS 11" 5000 PSIG RATED.
BOPE 11" 5000 PSIG

TESTING PROCEDURE:

1. BOPE's will be tested with a professional tester to conform to Onshore Order #2 with retest every 14 days.
2. Blind & Pipe rams will be tested to rated working pressure, 5000 psig.
3. Annular preventor will be tested to 50% of working pressure, 2500 psig.
4. Casing will be tested to 0.22 psi/ft. or 2500 psig. Not to exceed 70% of burst strength, whichever is greater.
5. All lines subject to well pressure will be pressure-tested to the same pressure as blind & pipe rams.
6. All BOPE specifications and configurations will meet Onshore Order #2 requirements for 5000 psig BOPE specifications.



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

RECEIVED

Request to Transfer Application or Permit to Drill

SEP 24 2004

(This form should accompany a Sundry Notice, Form 9, requesting APD transfer)

DIV. OF OIL, GAS & MINING

Well name:	WHB 11-35E
API number:	4304735053
Location:	Qtr-Qtr: NESW Section: 35 Township: 10S Range: 19E
Company that filed original application:	Dominion Exploration & Production, Inc.
Date original permit was issued:	06/17/2004
Company that permit was issued to:	Dominion Exploration & Production, Inc.

Check one	Desired Action:
<input type="checkbox"/>	Transfer pending (unapproved) Application for Permit to Drill to new operator
<input type="checkbox"/>	The undersigned as owner with legal rights to drill on the property, hereby verifies that the information as submitted in the pending Application for Permit to Drill, remains valid and does not require revision. The new owner of the application accepts and agrees to the information and procedures as stated in the application.
<input checked="" type="checkbox"/>	Transfer approved Application for Permit to Drill to new operator
<input type="checkbox"/>	The undersigned as owner with legal rights to drill on the property as permitted, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.

Following is a checklist of some items related to the application, which should be verified.		Yes	No
If located on private land, has the ownership changed?			<input checked="" type="checkbox"/>
If so, has the surface agreement been updated?			<input checked="" type="checkbox"/>
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location?			<input checked="" type="checkbox"/>
Have there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well?			<input checked="" type="checkbox"/>
Have there been any changes to the access route including ownership or right-of-way, which could affect the proposed location?			<input checked="" type="checkbox"/>
Has the approved source of water for drilling changed?			<input checked="" type="checkbox"/>
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation?			<input checked="" type="checkbox"/>
Is bonding still in place, which covers this proposed well? Bond No. NM2308		<input checked="" type="checkbox"/>	

Any desired or necessary changes to either a pending or approved Application for Permit to Drill that is being transferred, should be filed on a Sundry Notice, Form 9, or amended Application for Permit to Drill, Form 3, as appropriate, with necessary supporting information as required.

Name (please print) Sheila Bremer Title Regulatory Coordinator
Signature *Sheila Bremer* Date 09/23/2004
Representing (company name) EOG Resources, Inc.

The person signing this form must have legal authority to represent the company or individual(s) to be listed as the new operator on the Application for Permit to Drill.

008

Designation of Agent/Operator

Merger

The operator of the well(s) listed below has changed, effective:

8/1/2004

N1095-Dominion Exploration & Production, Inc
14000 Quail Springs Parkway, Suite 600
Oklahoma City, OK 73134

Phone: 1-(405) 749-3412

N9550-EOG Resources Inc.

600 17th St, Suite 1100N

Denver, CO 80202

Phone: 1-(303) 824-5574

CA No.

Unit:

WELL(S)

[illegible]

Enter date after each listed item is completed

- | | |
|--|--------------------|
| 1. (R649-8-10) Sundry or legal documentation was received from the FORMER operator on: | <u>8/23/2004</u> |
| 2. (R649-8-10) Sundry or legal documentation was received from the NEW operator on: | <u>8/23/2004</u> |
| 3. The new company was checked on the Department of Commerce, Division of Corporations Database on: | <u>7/28/2004</u> |
| 4. Is the new operator registered in the State of Utah: <u>YES</u> Business Number: | <u>966901-0143</u> |
| 5. If NO , the operator was contacted on: | |
| 6a. (R649-9-2)Waste Management Plan has been received on: | <u>In Place</u> |
| 6b. Inspections of LA PA state/fee well sites complete on: | <u>n/a</u> |

7. **Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 8/27/2004 BIA n/a

8. **Federal and Indian Units:**

The BLM or BIA has approved the successor of unit operator for wells listed on: n/a

9. **Federal and Indian Communization Agreements ("CA"):**

The BLM or BIA has approved the operator for all wells listed within a CA on: n/a

10. **Underground Injection Control ("UIC")** The Division has approved UIC Form 5, Transfer of Authority to Inject, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

1. Changes entered in the Oil and Gas Database on: 9/30/2004
2. Changes have been entered on the Monthly Operator Change Spread Sheet on: 9/30/2004
3. Bond information entered in RBDMS on: n/a
4. Fee/State wells attached to bond in RBDMS on: n/a
5. Injection Projects to new operator in RBDMS on: n/a
6. Receipt of Acceptance of Drilling Procedures for APD/New on: 9/24/2004

STATE WELL(S) BOND VERIFICATION:

1. State well(s) covered by Bond Number: n/a

FEDERAL WELL(S) BOND VERIFICATION:

1. Federal well(s) covered by Bond Number: NM 2308

INDIAN WELL(S) BOND VERIFICATION:

1. Indian well(s) covered by Bond Number: n/a

FEE WELL(S) BOND VERIFICATION:

1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bond Number n/a
2. The FORMER operator has requested a release of liability from their bond on: n/a
The Division sent response by letter on: n/a

LEASE INTEREST OWNER NOTIFICATION:

3. (R649-2-10) The FORMER operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS:

CONFIDENTIAL

DIVISION OF OIL, GAS AND MINING

SPUDDING INFORMATION

Name of Company: EOG RESOURCES INCWell Name: WHB 11-35EApi No: 43-047-35053 Lease Type: FEDERALSection 35 Township 10S Range 19E County UINTAHDrilling Contractor PETE MARTIN'S RIG # BUCKET - 20" BIT

SPUDDED:

Date 11/23/2004Time 7:00 AMHow DRY

Drilling will commence: _____

Reported by DALL COOKTelephone # 1-435-828-3630Date 11/23/2004 Signed CHD

011

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-3405
2. NAME OF OPERATOR: EOG RESOURCES, INC.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: P.O. BOX 1910 CITY VERNAL STATE UT ZIP 84078		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1863' FSL, 2228' FWL		8. WELL NAME and NUMBER: WILD HORSE BENCH 11-35E
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NESW 35 10S 19E S		9. API NUMBER: 4304735053
COUNTY: UINTAH		10. FIELD AND POOL, OR WILDCAT: NATURAL BUTTES
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input checked="" type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input checked="" type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input type="checkbox"/> OTHER: _____
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

EOG Resources, Inc. is requesting authorization to change the BOP from 5000# to 3000#.
A revised BOP is attached.RECEIVED
NOV 23 2004
DIV. OF OIL, GAS & MINING

NAME (PLEASE PRINT) <u>Ed Trotter</u>	TITLE <u>Agent</u>
SIGNATURE <u>[Signature]</u>	DATE <u>11/18/2004</u>

(This space for State use only)

COPY SENT TO OPERATOR
Date: 11-30-04
Initials: CHOAccepted by the
Utah Division of
Oil, Gas and MiningFederal Approval Of This
Action Is Necessary

(5/2000)

(See Instructions on Reverse Side)


By: [Signature]

3000 PSIG DIAGRAM

ANNULAR PREVENTOR AND BOTH RAMS ARE 3000 PSIG RATED.
CASING FLANGE IS 11" 3000 PSIG RATED.
BOPE 11" 3000 PSIG

TESTING PROCEDURE:

1. BOPE's will be tested with a professional tester to conform to Onshore Order #2 with retest every 14 days.
2. Blind & Pipe rams will be tested to rated working pressure, 3000 psig.
3. Annular preventor will be tested to 50% of working pressure, 1500 psig.
4. Casing will be tested to 0.22 psi/ft. or 1500 psig. Not to exceed 70% of burst strength, whichever is greater.
5. All lines subject to well pressure will be pressure-tested to the same pressure as blind & pipe rams.
6. All BOPE specifications and configurations will meet Onshore Order #2 requirements for 3000 psig BOPE specifications.



STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 9

012

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.

1. TYPE OF WELL OIL WELL <input type="checkbox"/> GAS WELL <input checked="" type="checkbox"/> OTHER _____		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU 3405
2. NAME OF OPERATOR: EOG RESOURCES, INC.		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
3. ADDRESS OF OPERATOR: P.O. BOX 250 CITY BIG PINEY STATE WY ZIP 83113		7. UNIT or CA AGREEMENT NAME:
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1863 FSL 2228 FWL 39.901406 LAT 109.750925 LON		8. WELL NAME and NUMBER: WILD HORSE BENCH 11-35E
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: NESW 35 10S 19E S		9. API NUMBER: 4304735053
COUNTY: UINTAH		10. FIELD AND POOL, OR WILDCAT: NATURAL BUTTES
STATE: UTAH		

11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA			
TYPE OF SUBMISSION	TYPE OF ACTION		
<input type="checkbox"/> NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start: _____	<input type="checkbox"/> ACIDIZE	<input type="checkbox"/> DEEPEN	<input type="checkbox"/> REPERFORATE CURRENT FORMATION
	<input type="checkbox"/> ALTER CASING	<input type="checkbox"/> FRACTURE TREAT	<input type="checkbox"/> SIDETRACK TO REPAIR WELL
	<input type="checkbox"/> CASING REPAIR	<input type="checkbox"/> NEW CONSTRUCTION	<input type="checkbox"/> TEMPORARILY ABANDON
	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	<input type="checkbox"/> OPERATOR CHANGE	<input type="checkbox"/> TUBING REPAIR
	<input type="checkbox"/> CHANGE TUBING	<input type="checkbox"/> PLUG AND ABANDON	<input type="checkbox"/> VENT OR FLARE
<input checked="" type="checkbox"/> SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion: _____	<input type="checkbox"/> CHANGE WELL NAME	<input type="checkbox"/> PLUG BACK	<input type="checkbox"/> WATER DISPOSAL
	<input type="checkbox"/> CHANGE WELL STATUS	<input type="checkbox"/> PRODUCTION (START/RESUME)	<input type="checkbox"/> WATER SHUT-OFF
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	<input type="checkbox"/> RECLAMATION OF WELL SITE	<input checked="" type="checkbox"/> OTHER: WELL SPUD
	<input type="checkbox"/> CONVERT WELL TYPE	<input type="checkbox"/> RECOMPLETE - DIFFERENT FORMATION	

12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc.

EOG Resources, Inc. spud a 20" surface hole at the referenced location 11/23/2004 at 7:00 a.m. The contractor was Pete Martin's Bucket Rig. Dall Cook, representative for EOG, notified Ed Forsman of the Vernal BLM office and Carol Daniels of the Utah Division of Oil Gas and Mining of the spud 11/23/2004 @ 5:15 a.m.

NAME (PLEASE PRINT) Kaylene R. Gardner	TITLE Regulatory Assistant
SIGNATURE 	DATE 11/29/2004

(This space for State use only)

RECEIVED
DEC 01 2004
DIVISION OF OIL, GAS & MINING

013

STATE OF UTAH
DEPARTMENT OF NATURAL RESOURCES
DIVISION OF OIL, GAS AND MINING

FORM 6

ENTITY ACTION FORM

Operator: EOG RESOURCES Operator Account Number: N 9550
 Address: P.O. BOX 250
city BIG PINEY
state WY zip 83113 Phone Number: (307) 276-3331

Well 1

API Number	Well Name		QQ	Sec	Twp	Rng	County
4304735053	WILD HORSE BENCH 11-35E		NESW	35	10S	19E	UINTAH
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
A	99999	144 26	11/23/2004		12/9/04		
Comments: <u>MURD</u> CONFIDENTIAL							

Well 2

API Number	Well Name		QQ	Sec	Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
Comments: RECEIVED							

DEC 08 2004

Well 3

API Number	Well Name		QQ	Sec	Twp	Rng	County
Action Code	Current Entity Number	New Entity Number	Spud Date		Entity Assignment Effective Date		
Comments:							

ACTION CODES:

- A - Establish new entity for new well (single well only)
- B - Add new well to existing entity (group or unit well)
- C - Re-assign well from one existing entity to another existing entity
- D - Re-assign well from one existing entity to a new entity
- E - Other (Explain in 'comments' section)

Kaylene R. Gardner

Name (Please Print)

 Signature
 Regulatory Assistant

Title

11/29/2004

Date

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

014

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well ☐ Oil Well ☒ Gas Well ☐ Other **CONFIDENTIAL**

2. Name of Operator **EOG RESOURCES, INC.**

3a. Address
P.O. BOX 250 Big Piney WY, 83113

3b. Phone No. (include area code)
307-276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Section 35, T10S, R19E, (NE/SW) 1863 FSL 2228 FWL 39.90141 LAT 109.75093 LON

5. Lease Serial No.
UTU 3405

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
WILD HORSE BENCH 011-35E

9. API Well No.
43-047-35053

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DRILLING
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	OPERATIONS
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Please see the attached well chronology report for drilling operations from 11/23/2004 - 12/30/2004.

RECEIVED
JAN 03 2005
DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Kaylene R. Gardner

Title **Regulatory Assistant**

Signature

Date

12/30/04

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)



WELL CHRONOLOGY REPORT

CONFIDENTIAL

Report Generated On: 12-30-2004

Well Name	WHB 11-35E	Well Type	DEVG	Division	DENVER
Field	OLD SQUAW'S CROSSING	API #	43-047-35053	Well Class	DRIL
County, State	UINTAH, UT	Spud Date	12-23-2004	Class Date	
Tax Credit	N	TVD / MD	8,000/ 8,000	Property #	055683
Water Depth	0	Last CSG	4.5	Shoe TVD / MD	8,102/ 8,102
KB / GL Elev	5,395/ 5,377				
Location	Section 35, T10S, R19E, NESW, 1863 FSL & 2228 FWL				

Event No	1.0	Description	DRILL & COMPLETE		
Operator	EOG RESOURCES, INC	WI %	50.0	NRI %	40.75

AFE No	303103	AFE Total	710,600	DHC / CWC	338,300/ 372,300
Rig Contr	KEY	Rig Name	KEY #942	Start Date	11-17-2004
11-17-2004	Reported By			Release Date	12-29-2004
Daily Costs: Drilling	\$0	Completion	\$0	Daily Total	\$0
Cum Costs: Drilling	\$0	Completion	\$0	Well Total	\$0
MD	0	TVD	0	Progress	0
Days	0	MW	0.0	Visc	0.0
Formation :	PBTD : 0.0		Perf :	PKR Depth : 0.0	

Activity at Report Time: LOCATION DATA

Start	End	Hrs	Activity Description
06:00	06:00	24.0	LOCATION DATA:

1863' FSL & 2228' FWL (NE/SW)
SECTION 35, T10S, R19E
UINTAH COUNTY, UTAH

KEY #942

OBJECTIVE: 8000' TD, KMV PRICE RIVER
DW/GAS
NATURAL BUTTES
OLD SQUAWS CROSSING AREA

LEASE: UTU-3405

ELEVATION: 5378' NAT GL, 5377' PREP GL, 5395' KB (18')

EOG WI 50%, NRI 40.75%

12-04-2004	Reported By	ED TROTTER			
Daily Costs: Drilling		Completion		Daily Total	
Cum Costs: Drilling		Completion		Well Total	
MD	2,455	TVD	2,455	Progress	0
Days	0	MW	0.0	Visc	0.0
Formation :	PBTD : 0.0		Perf :	PKR Depth : 0.0	

CONFIDENTIAL

Activity at Report Time: WORT

Start	End	Hrs	Activity Description
-------	-----	-----	----------------------

06:00	06:00	24.0	MIRU PETE MARTIN'S BUCKET RIG. SPUDDED 20" HOLE @ 7:00 AM, 11/23/04.
-------	-------	------	--

DRILLED 20" HOLE TO 45'. RAN 45' OF 13 3/8", 54#, H-40 CONDUCTOR PIPE AND CEMENTED TO SURFACE. RD BUCKET RIG.

MIRU BILL JR'S AIR RIG. DRILLED 12 1/4" HOLE TO 2455'. RAN 57 JTS (2426.25') OF 9-5/8", 36.0#/FT, J-55, ST&C CASING & LANDED @ 2444.25' KB. RU BIG 4 CEMENTERS. PRESSURE TESTED LINES AND CEMENT VALVE TO 1000 PSIG. MIXED & PUMPED 155 BBLS WATER & 20 BBLS GELLED WATER AHEAD OF CEMENT.

LEAD CEMENT: MIXED & PUMPED 220 SX PREMIUM CEMENT W/16% GEL & 10#/SX GILSONITE-3% SALT, 2% CACL2 & 1/4 #/SX FLOCELE. MIXED CEMENT @ 11.0 PPG W/YIELD OF 3.82 CF/SX (149.6 BBLS).

TAIL CEMENT: MIXED & PUMPED 200 SX PREMIUM CEMENT W/2% CACL2 & 1/4 #/SX FLOCELE. MIXED CEMENT @ 15.6 PPG W/YIELD OF 1.18 CF/SX (41 BBLS). DISPLACED CEMENT W/181 BBLS WATER, BUMPED PLUG W/1000#. CHECKED FLOAT, FLOAT DID NOT HOLD. SHUT-IN CASING VALVE. HAD CEMENT RETURNS TO SURFACE BUT FELL BACK. RAN 1" PIPE DOWN ANNULUS.

TOP OUT #1: MIXED & PUMPED 140 SX PREMIUM CEMENT W/4% CACL2 & 1/4 #/SX FLOCELE. MIXED CEMENT @ 16.0 PPG W/YIELD OF 1.18 CF/SX (27.4 BBLS). NO CEMENT RETURNS TO SURFACE. WOC 2.5 HRS.

TOP OUT #2: MIXED & PUMPED 85 SX PREMIUM CEMENT W/4% CACL2 & 1/4 #/SX FLOCELE. MIXED CEMENT @ 16.0 PPG W/YIELD OF 1.18 CF/SX (27.4 BBLS). HAD 7 BBLS CEMENT RETURNS TO SURFACE, CEMENT STAYED AT SURFACE. RD BIG 4 CEMENTERS. PREPARED LOCATION FOR ROTARY RIG. WORT. WILL DROP FROM REPORT UNTIL FURTHER ACTIVITY.

DALL COOK NOTIFIED ED FORSMAN W/BLM & CAROL DANIELS W/UOGM OF SPUDDING WELL AT 5:00 AM, 11/23/04.

5 CENTRALIZERS: ON 1ST, 2ND & 3RD COLLARS AND EVERY 3RD COLLAR.

12-23-2004 Reported By HUBERT HAYS

Daily Costs: Drilling

Completion

Daily Total

Cum Costs: Drilling

Completion

Well Total

MD	2,455	TVD	2,455	Progress	0	Days	0	MW	0.0	Visc	0.0
----	-------	-----	-------	----------	---	------	---	----	-----	------	-----

Formation :

PBSD : 0.0

Perf :

PKR Depth : 0.0

Activity at Report Time: PU BHA - RIH

Start	End	Hrs	Activity Description
-------	-----	-----	----------------------

06:00	23:00	17.0	MOVED TO LOC .75 MILE. RU & INSTALLED NEW WINTERIZING HOOK UP BOILER.
-------	-------	------	---

23:00	01:00	2.0	NU BOPS. HOOKED UP FLARE LINES & GAS BUSTER.
-------	-------	-----	--

01:00	04:00	3.0	TESTED BOPS W/SINGLE JACK. TESTED BLINDS, PIPE, CHOKE & KELLY LINES & MANIFOLD TO 3000 PSIG/250 PSI. TESTED ANNULAR TO 2500/250 PSIG. TESTED CASING TO 1500 PSIG FOR 30 MIN. CHECKED ACC CHARGE. PUT METHANOL IN LINES.
-------	-------	-----	---

04:00	06:00	2.0	PU BHA.
-------	-------	-----	---------

FUEL 3500 GALLONS

DSLTA 71

CONFIDENTIAL

12-24-2004 Reported By HUBERT HAYS

Daily Costs: Drilling

Completion

Daily Total

Cum Costs: Drilling

Completion

Well Total

MD 3,455 TVD 3,455 Progress 1,000 Days 1 MW 8.3 Visc 27.0

Formation :

PBSD : 0.0

Perf :

PKR Depth : 0.0

Activity at Report Time: DRILLING

Start	End	Hrs	Activity Description
06:00	13:00	7.0	INSTALLED WEAR RING. PU BHA. RIH.
13:00	14:00	1.0	INSTALLED ROTATING HEAD RUBBER.
14:00	15:00	1.0	TAGGED CEMENT AT 2337'. DRILL CEMENT FLOAT & SHOE.
15:00	16:00	1.0	SERVICED RIG. REPAIRED PUMP DIESEL LINE.
16:00	20:00	4.0	DRILL 2455' TO 2684'.
20:00	20:30	0.5	SURVEY AT 2619', 1 DEGREE.
20:30	02:30	6.0	DRILL 2684' TO 3240', WT 12/14K RPM, 65/70 PSI, 1000/1200 SPM, 123 ROP, 93'/HR.
02:30	03:00	0.5	SURVEY AT 3178', 1 DEGREE.
03:00	06:00	3.0	DRILL 3240' TO 3455', SAME PARAMETERS AS ABOVE.

FUEL USED 971 GALLONS

DSLTA 72

BOP DRILL 71 SEC

SPUD 7 7/8" SURFACE HOLE AT 16:00 HRS, 12/23/04.

12-25-2004 Reported By HUBERT HAYS

Daily Costs: Drilling

Completion

Daily Total

Cum Costs: Drilling

Completion 5

Well Total

MD 5,480 TVD 5,480 Progress 2,035 Days 2 MW 8.3 Visc 27.0

Formation :

PBSD : 0.0

Perf :

PKR Depth : 0.0

Activity at Report Time: DRILLING

Start	End	Hrs	Activity Description
06:00	08:30	2.5	DRILL 3455' TO 3835', WT 20K RPM, 125 PSI, 1000/1200 SPM, 123 ROP, 152'/HR.
08:30	09:00	0.5	SURVEY AT 3760', 1 DEGREE.
09:00	14:00	5.0	DRILL 3835' TO 4425', WT 22K RPM, 135 PSI, 1050/1300 SPM, 123 ROP, 118'/HR.
14:00	14:30	0.5	SURVEY AT 4350', 3 DEGREES.
14:30	20:00	5.5	DRILL 4425' TO 4918', WT 16K RPM, 135 PSI, 1100/1300 SPM, 123 ROP, 90'/HR.
20:00	20:30	0.5	SURVEY AT 4853', 2.25 DEGREES.
20:30	06:00	9.5	DRILL 4918' TO 5480', WT 20K RPM, 130 PSI, 1200/1450 SPM, 123 ROP, 60'/HR.

FUEL 879 GALLONS

DSLTA 73

BOP DRILL DAYS 55 SEC, EVE TOUR 61 SEC

12-26-2004 Reported By HUBERT HAYS

Daily Costs: Drilling

Completion

Daily Total

Cum Costs: Drilling

Completion

Well Total

CONFIDENTIAL

MD 6,724 TVD 6,724 Progress 1,244 Days 3 MW 8.3 Visc 27.0
 Formation : PBTD : 0.0 Perf : PKR Depth : 0.0

Activity at Report Time: DRILLING

Start	End	Hrs	Activity Description
06:00	10:30	4.5	DRILL 5480' TO 5819', WT 22K RPM, 130 PSI, 1200/1400 SPM, 123 ROP, 75'/HR.
10:30	11:00	0.5	RIG SERVICED. FUNCTION TESTED ANNULAR, GREASED CROWN-O-MATIC & BLOCKS. BOP DRILL 71 SEC.
11:00	06:00	19.0	DRILL 5819' TO 6724', WT 22K RPM, 125 PSI, 1250/1450 SPM, 123 ROP, 48'/HR.

FUEL 871 GALLONS

DSLTA 74

UP WT 140K, RT WT 134K, DN WT 124K

12-27-2004 Reported By HUBERT HAYS

DailyCosts: Drilling

Completion

Daily Total

Cum Costs: Drilling

Completion

Well Total

MD 7,724 TVD 7,724 Progress 1,000 Days 4 MW 8.8 Visc 36.0
 Formation : PBTD : 0.0 Perf : PKR Depth : 0.0

Activity at Report Time: DRILLING

Start	End	Hrs	Activity Description
06:00	14:00	8.0	DRILL 6724' TO 7157', WT 26K RPM, 65/70 PSI, 1500/1700 SPM, 123 ROP, 54'/HR.
14:00	14:30	0.5	RIG SERVICED. BOP DRILL 65 SEC. FUNCTION TESTED PIPE RAMS.
14:30	06:00	15.5	DRILL 7157' TO 7724', WT 26K RPM, 65/71 PSI, 1550/1700 SPM, 123 ROP, 37'/HR.

FUEL USED 1300 GAL

DSLTA 75

UP WT 160K, RT WT 154K, DN WT 148K

12-28-2004 Reported By HUBERT HAYS

DailyCosts: Drilling

Completion

Daily Total

Cum Costs: Drilling

Completion

Well Total

MD 8,030 TVD 8,030 Progress 306 Days 5 MW 9.0 Visc 38.0
 Formation : PBTD : 0.0 Perf : PKR Depth : 0.0

Activity at Report Time: DRILLING

Start	End	Hrs	Activity Description
06:00	12:30	6.5	DRILL 7724' TO 7867', WT 26K RPM, 65/71 PSI, 1500/1750 SPM, 123 ROP, 22'/HR.
12:30	13:00	0.5	CIRC. MIXED & PUMPED PILL TO DRY PIPE FOR TRIP.
13:00	24:00	11.0	TRIP FOR BIT. WASHED 40' TO BOTTOM. SAFETY REAM, HOLE COND GOOD.
24:00	06:00	6.0	DRILL 7867' TO 8030', WT 18K RPM, 60/61 PSI, 1450/1600 SPM, 123 ROP, 30'/HR.

FUEL USED 917 GALLONS

DSLTA 76

BOP DRILL DAYLIGHTS 52 SEC

12-29-2004 Reported By HUBERT HAYS

DailyCosts: Drilling

Completion

Daily Total

CONFIDENTIAL

Cum Costs: Drilling

Completion

Well Total

MD	8,106	TVD	8,106	Progress	70	Days	6	MW	9.3	Visc	38.0
----	-------	-----	-------	----------	----	------	---	----	-----	------	------

Formation :

PBTD : 0.0

Perf :

PKR Depth : 0.0

Activity at Report Time: WO COMPLETION

Start	End	Hrs	Activity Description
-------	-----	-----	----------------------

06:00	07:00	1.0	DRILL 8030' TO 8106' TD. REACHED TD AT 07:00 HRS, 12/28/04.
-------	-------	-----	---

07:00	08:00	1.0	CIRC TO COND HOLE & MUD FOR 4.5" CASING.
-------	-------	-----	--

08:00	09:00	1.0	WIPER TRIP 15 STANDS.
-------	-------	-----	-----------------------

09:00	10:00	1.0	CIRC & RIG UP LAY DOWN MACHINE.
-------	-------	-----	---------------------------------

10:00	14:30	4.5	LAY DOWN DRILL PIPE & BHA. PULLED WEAR BUSHING.
-------	-------	-----	---

14:30	00:00	9.5	RU WESTATES. RAN 185 JTS 4.5", 11.6#, N-80 LTC CSG IN THE FOLLOWING ORDER: TPSJ 8092', FC 8090.80', 4 JTS CSG 7914.97', MJT 7895.08', 90 JTS CSG 3978.25', MJT 3958.30', 91 JTS CSG TO SURFACE. CASING LANDED @ 8102'.
-------	-------	-----	--

CIRC 1 HR. CEMENTED W/300 SX HILIFTG, YIELD 3.91, H2O: 24.46G/SX, 11#/GAL, PLUS 700 SX 50/50 POZG W/ADDITIVES, YIELD 1.29, H2O 5.96, SLURRY 14.1 PPG. DISPLACED TO FLOAT W/125 BBLs H2O W/2 GAL/1000 LO64. BUMPED PLUG W/800 PSI OVER PP. MAX PRESSURE 2550 PSIG. FLOAT HELD. CEMENT IN PLACE @ 24:00 HRS.

24:00	02:00	2.0	ND BOPS. SET SLIPS W/80K.
-------	-------	-----	---------------------------

FUEL USED 800 GAL

DSLTA 79

RIG RELEASED @ 02:00. 12/29/04

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

015

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	
2. Name of Operator EOG RESOURCES, INC.	
3a. Address P.O. BOX 250 Big Piney WY, 83113	3b. Phone No. (include area code) 307-276-3331
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Section 35, T10S, R19E, (NE/SW) 1863 FSL 2228 FWL 39.90141 LAT 109.75093 LON	

5. Lease Serial No. UTU 3405
6. If Indian, Allottee or Tribe Name
7. If Unit or CA/Agreement, Name and/or No.
8. Well Name and No. WILD HORSE BENCH 011-35E
9. API Well No. 43-047-35053
10. Field and Pool, or Exploratory Area NATURAL BUTTES
11. County or Parish, State UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DRILLING
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	OPERATIONS
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Please see the attached well chronology report for drilling operations from 12/20/2004 - 1/14/2005.

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Kaylene R. Gardner

Title **Regulatory Assistant**

Signature

Kaylene R. Gardner

Date

1/14/05

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

RECEIVED

JAN 24 2005

DIV. OF OIL, GAS & MINING



WELL CHRONOLOGY REPORT

CONFIDENTIAL

Report Generated On: 01-14-2005

Well Name	WHB 11-35E	Well Type	DEVG	Division	DENVER
Field	OLD SQUAW'S CROSSING	API #	43-047-35053	Well Class	DRIL
County, State	UINTAH, UT	Spud Date	12-23-2004	Class Date	
Tax Credit	N	TVD / MD	8,000/ 8,000	Property #	055683
Water Depth	0	Last CSG	4.5	Shoe TVD / MD	8,102/ 8,102
KB / GL Elev	5,395/ 5,377				
Location	Section 35, T10S, R19E, NESW, 1863 FSL & 2228 FWL				

Event No	1.0	Description	DRILL & COMPLETE		
Operator	EOG RESOURCES, INC	WI %	50.0	NRI %	40.75

AFE No	303103	AFE Total		DHC / CWC	
Rig Contr	KEY	Rig Name	KEY #942	Start Date	11-17-2004
				Release Date	12-29-2004
11-17-2004	Reported By				
Daily Costs: Drilling	\$0	Completion	\$0	Daily Total	\$0
Cum Costs: Drilling	\$0	Completion	\$0	Well Total	\$0
MD	0	TVD	0	Progress	0
				Days	0
				MW	0.0
				Visc	0.0
Formation :	PBTB : 0.0			Perf :	PKR Depth : 0.0

Activity at Report Time: LOCATION DATA

Start	End	Hrs	Activity Description
06:00	06:00	24.0	LOCATION DATA:
			1863' FSL & 2228' FWL (NE/SW)
			SECTION 35, T10S, R19E
			UINTAH COUNTY, UTAH
			KEY #942
			OBJECTIVE: 8000' TD, KMV PRICE RIVER
			DW/GAS
			NATURAL BUTTES
			OLD SQUAWS CROSSING AREA
			LEASE: UTU-3405
			ELEVATION: 5378' NAT GL, 5377' PREP GL, 5395' KB (18')
			EOG WI 50%, NRI 40.75%

12-04-2004	Reported By		ED TROTTER		
Daily Costs: Drilling		Completion		Daily Total	
Cum Costs: Drilling	\$	Completion	\$	Well Total	
MD	2,455	TVD	2,455	Progress	0
				Days	0
				MW	0.0
				Visc	0.0
Formation :	PBTB : 0.0			Perf :	PKR Depth : 0.0

CONFIDENTIAL

MD 6,724 TVD 6,724 Progress 1,244 Days 3 MW 8.3 Visc 27.0
 Formation : PBTD : 0.0 Perf : PKR Depth : 0.0

Activity at Report Time: DRILLING

Start	End	Hrs	Activity Description
06:00	10:30	4.5	DRILL 5480' TO 5819', WT 22K RPM, 130 PSI, 1200/1400 SPM, 123 ROP, 75'/HR.
10:30	11:00	0.5	RIG SERVICED. FUNCTION TESTED ANNULAR, GREASED CROWN-O-MATIC & BLOCKS. BOP DRILL 71 SEC.
11:00	06:00	19.0	DRILL 5819' TO 6724', WT 22K RPM, 125 PSI, 1250/1450 SPM, 123 ROP, 48'/HR.

FUEL 871 GALLONS

DSLTA 74

UP WT 140K, RT WT 134K, DN WT 124K

12-27-2004 Reported By HUBERT HAYS

Daily Costs: Drilling	Completion	Daily Total
Cum Costs: Drilling	Completion	Well Total \$
MD 7,724 TVD 7,724 Progress 1,000 Days 4 MW 8.8 Visc 36.0		
Formation : PBTD : 0.0	Perf :	PKR Depth : 0.0

Activity at Report Time: DRILLING

Start	End	Hrs	Activity Description
06:00	14:00	8.0	DRILL 6724' TO 7157', WT 26K RPM, 65/70 PSI, 1500/1700 SPM, 123 ROP, 54'/HR.
14:00	14:30	0.5	RIG SERVICED. BOP DRILL 65 SEC. FUNCTION TESTED PIPE RAMS.
14:30	06:00	15.5	DRILL 7157' TO 7724', WT 26K RPM, 65/71 PSI, 1550/1700 SPM, 123 ROP, 37'/HR.

FUEL USED 1300 GAL

DSLTA 75

UP WT 160K, RT WT 154K, DN WT 148K

12-28-2004 Reported By HUBERT HAYS

Daily Costs: Drilling	Completion	Daily Total
Cum Costs: Drilling	Completion	Well Total
MD 8,030 TVD 8,030 Progress 306 Days 5 MW 9.0 Visc 38.0		
Formation : PBTD : 0.0	Perf :	PKR Depth : 0.0

Activity at Report Time: DRILLING

Start	End	Hrs	Activity Description
06:00	12:30	6.5	DRILL 7724' TO 7867', WT 26K RPM, 65/71 PSI, 1500/1750 SPM, 123 ROP, 22'/HR.
12:30	13:00	0.5	CIRC. MIXED & PUMPED PILL TO DRY PIPE FOR TRIP.
13:00	24:00	11.0	TRIP FOR BIT. WASHED 40' TO BOTTOM. SAFETY REAM, HOLE COND GOOD.
24:00	06:00	6.0	DRILL 7867' TO 8030', WT 18K RPM, 60/61 PSI, 1450/1600 SPM, 123 ROP, 30'/HR.

FUEL USED 917 GALLONS

DSLTA 76

BOP DRILL DAYLIGHTS 52 SEC

12-29-2004 Reported By HUBERT HAYS

Daily Costs: Drilling	Completion	Daily Total
\$16,684		

CONFIDENTIAL

Cum Costs: Drilling

Completion

Well Total

MD	8,106	TVD	8,106	Progress	70	Days	6	MW	9.3	Visc	38.0
----	-------	-----	-------	----------	----	------	---	----	-----	------	------

Formation :

PBTD : 0.0

Perf :

PKR Depth : 0.0

Activity at Report Time: WO COMPLETION - LOG TOPS

Start	End	Hrs	Activity Description
-------	-----	-----	----------------------

06:00	07:00	1.0	DRILL 8030' TO 8106' TD. REACHED TD AT 07:00 HRS, 12/28/04.
-------	-------	-----	---

07:00	08:00	1.0	CIRC TO COND HOLE & MUD FOR 4.5" CASING.
-------	-------	-----	--

08:00	09:00	1.0	WIPER TRIP 15 STANDS.
-------	-------	-----	-----------------------

09:00	10:00	1.0	CIRC & RIG UP LAY DOWN MACHINE.
-------	-------	-----	---------------------------------

10:00	14:30	4.5	LAY DOWN DRILL PIPE & BHA. PULLED WEAR BUSHING.
-------	-------	-----	---

14:30	00:00	9.5	RU WESTATES. RAN 185 JTS 4.5", 11.6#, N-80 LTC CSG IN THE FOLLOWING ORDER: TPSJ 8092', FC 8090.80', 4 JTS CSG 7914.97', MJT 7895.08', 90 JTS CSG 3978.25', MJT 3958.30', 91 JTS CSG TO SURFACE. CASING LANDED @ 8102'.
-------	-------	-----	--

CIRC 1 HR. CEMENTED W/300 SX HILIFTG, YIELD 3.91, H2O: 24.46G/SX, 11#/GAL, PLUS 700 SX 50/50 POZG W/ADDITIVES, YIELD 1.29, H2O 5.96, SLURRY 14.1 PPG. DISPLACED TO FLOAT W/125 BBLs H2O W/2 GAL/1000 LO64. BUMPED PLUG W/800 PSI OVER PP. MAX PRESSURE 2550 PSIG. FLOAT HELD. CEMENT IN PLACE @ 24:00 HRS.

24:00	02:00	2.0	ND BOPS. SET SLIPS W/80K.
-------	-------	-----	---------------------------

FUEL USED 800 GAL

DSLTA 79

RIG RELEASED @ 02:00, 12/29/04

24.0 LOG TOPS

WASATCH 4315'

CHAPITA WELLS 4899'

NORTH HORN 6534'

ISLAND 7513'

MESAVERDE 7979'

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

016

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well ☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator **EOG RESOURCES, INC.**

3a. Address **P.O. BOX 250 Big Piney WY, 83113**

3b. Phone No. (include area code) **307-276-3331**

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
Section 35, T10S, R19E, (NE/SW) 1863 FSL 2228 FWL 39.90141 LAT 109.75093 LON

5. Lease Serial No.
UTU 3405

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.
WILD HORSE BENCH 011-35E

9. API Well No.
43-047-35053

10. Field and Pool, or Exploratory Area
NATURAL BUTTES

11. County or Parish, State
UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DRILLING
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	OPERATIONS
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

TD reached 12/28/2004. Completion operations are scheduled to begin on or about 1/31/2005.

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Kaylene R. Gardner

Title **Regulatory Assistant**

Signature

Kaylene R. Gardner

Date

01/21/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

RECEIVED

JAN 24 2005

DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

017

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Other	
2. Name of Operator EOG RESOURCES, INC.	
3a. Address P.O. BOX 250 Big Piney WY, 83113	3b. Phone No. (include area code) 307-276-3331
4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Section 35, T10S, R19E, (NE/SW) 1863 FSL 2228 FWL 39.90141 LAT 109.75093 LON	

5. Lease Serial No. UTU 3405
6. If Indian, Allottee or Tribe Name
7. If Unit or CA/Agreement, Name and/or No.
8. Well Name and No. WILD HORSE BENCH 011-35E
9. API Well No. 43-047-35053
10. Field and Pool, or Exploratory Area NATURAL BUTTES
11. County or Parish, State UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA


TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DRILLING
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	OPERATIONS
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

TD reached 12/28/2004. Completion operations are scheduled to begin on or about 1/31/2005.

RECEIVED
FEB 02 2005

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Kaylene R. Gardner		Title Regulatory Assistant
Signature 		Date 01/28/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by _____	Title _____	Date _____
Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.		
Office _____		

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

CONFIDENTIAL

2. Name of Operator
EOG RESOURCES, INC.3a. Address
P.O. BOX 250 Big Piney WY, 831133b. Phone No. (include area code)
307-276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Section 35, T10S, R19E, (NE/SW) 1863 FSL 2228 FWL 39.90141 LAT 109.75093 LON

5. Lease Serial No.

UTU 3405

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

WILD HORSE BENCH 011-35E

9. API Well No.

43-047-35053

10. Field and Pool, or Exploratory Area

NATURAL BUTTES

11. County or Parish, State

UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DRILLING
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	OPERATIONS
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Please see attached well chronology reports for completion operations from 1/28/2005 - 2/4/2005.

RECEIVED

FEB 08 2005

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Kaylene R. Gardner

Title Regulatory Assistant

Signature

Date

02/04/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title

Date

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)



WELL CHRONOLOGY REPORT

CONFIDENTIAL

Report Generated On: 02-04-2005

Well Name	WHB 11-35E	Well Type	DEVG	Division	DENVER
Field	OLD SQUAW'S CROSSING	API #	43-047-35053	Well Class	COMP
County, State	UINTAH, UT	Spud Date	12-23-2004	Class Date	
Tax Credit	N	TVD / MD	8,000/ 8,000	Property #	055683
Water Depth	0	Last CSG	2.375	Shoe TVD / MD	0/ 0
KB / GL Elev	5,395/ 5,377				
Location	Section 35, T10S, R19E, NESW, 1863 FSL & 2228 FWL				

Event No	1.0	Description	DRILL & COMPLETE		
Operator	EOG RESOURCES, INC	WI %	50.0	NRI %	40.75

AFE No	303103	AFE Total		DHC / CWC	
Rig Contr	KEY	Rig Name	KEY #942	Start Date	11-17-2004
				Release Date	12-29-2004
11-17-2004	Reported By				
Daily Costs: Drilling	\$0	Completion	\$0	Daily Total	\$0
Cum Costs: Drilling	\$0	Completion	\$0	Well Total	\$0
MD	0	TVD	0	Progress	0
				Days	0
MW	0.0	Visc	0.0		
Formation :	PBTB : 0.0		Perf :	PKR Depth : 0.0	

Activity at Report Time: LOCATION DATA

Start	End	Hrs	Activity Description
06:00	06:00	24.0	LOCATION DATA:
			1863' FSL & 2228' FWL (NE/SW)
			SECTION 35, T10S, R19E
			UINTAH COUNTY, UTAH
			KEY #942
			OBJECTIVE: 8000' TD, KMV PRICE RIVER
			DW/GAS
			NATURAL BUTTES
			OLD SQUAWS CROSSING AREA
			LEASE: UTU-3405
			ELEVATION: 5378' NAT GL, 5377' PREP GL, 5395' KB (18")
			EOG WI 50%, NRI 40.75%

12-04-2004 Reported By ED TROTTER

Daily Costs: Drilling		Completion		Daily Total	
Cum Costs: Drilling		Completion		Well Total	
MD	2,455	TVD	2,455	Progress	0
				Days	0
MW	0.0	Visc	0.0		
Formation :	PBTB : 0.0		Perf :	PKR Depth : 0.0	

MD 6,724 TVD 6,724 Progress 1,244 Days 3 MW 8.3 Visc 27.0

Formation : PBTD : 0.0 Perf : PKR Depth : 0.0

Activity at Report Time: DRILLING

Start End Hrs Activity Description

06:00 10:30 4.5 DRILL 5480' TO 5819', WT 22K RPM, 130 PSI, 1200/1400 SPM, 123 ROP, 75'/HR.
10:30 11:00 0.5 RIG SERVICED. FUNCTION TESTED ANNULAR, GREASED CROWN-O-MATIC & BLOCKS. BOP DRILL 71 SEC.
11:00 06:00 19.0 DRILL 5819' TO 6724', WT 22K RPM, 125 PSI, 1250/1450 SPM, 123 ROP, 48'/HR.

FUEL 871 GALLONS

DSLTA 74

UP WT 140K, RT WT 134K, DN WT 124K

12-27-2004 Reported By HUBERT HAYS

DailyCosts: Drilling

Completion

Daily Total

Cum Costs: Drilling

Completion

Well Total

MD 7,724 TVD 7,724 Progress 1,000 Days 4 MW 8.8 Visc 36.0

Formation : PBTD : 0.0 Perf : PKR Depth : 0.0

Activity at Report Time: DRILLING

Start End Hrs Activity Description

06:00 14:00 8.0 DRILL 6724' TO 7157', WT 26K RPM, 65/70 PSI, 1500/1700 SPM, 123 ROP, 54'/HR.
14:00 14:30 0.5 RIG SERVICED. BOP DRILL 65 SEC. FUNCTION TESTED PIPE RAMS.
14:30 06:00 15.5 DRILL 7157' TO 7724', WT 26K RPM, 65/71 PSI, 1550/1700 SPM, 123 ROP, 37'/HR.

FUEL USED 1300 GAL

DSLTA 75

UP WT 160K, RT WT 154K, DN WT 148K

12-28-2004 Reported By HUBERT HAYS

DailyCosts: Drilling

Completion

Daily Total

Cum Costs: Drilling

Completion

Well Total

MD 8,030 TVD 8,030 Progress 306 Days 5 MW 9.0 Visc 38.0

Formation : PBTD : 0.0 Perf : PKR Depth : 0.0

Activity at Report Time: DRILLING

Start End Hrs Activity Description

06:00 12:30 6.5 DRILL 7724' TO 7867', WT 26K RPM, 65/71 PSI, 1500/1750 SPM, 123 ROP, 22'/HR.
12:30 13:00 0.5 CIRC. MIXED & PUMPED PILL TO DRY PIPE FOR TRIP.
13:00 24:00 11.0 TRIP FOR BIT. WASHED 40' TO BOTTOM. SAFETY REAM, HOLE COND GOOD.
24:00 06:00 6.0 DRILL 7867' TO 8030', WT 18K RPM, 60/61 PSI, 1450/1600 SPM, 123 ROP, 30'/HR.

FUEL USED 917 GALLONS

DSLTA 76

BOP DRILL DAYLIGHTS 52 SEC

12-29-2004 Reported By HUBERT HAYS

DailyCosts: Drilling

Completion

Daily Total

Cum Costs: Drilling**Completion****Well Total**

MD 8,106 TVD 8,106 Progress 70 Days 6 MW 9.3 Visc 38.0

Formation :

PBSD : 0.0

Perf :

PKR Depth : 0.0

Activity at Report Time: WO COMPLETION - LOG TOPS

Start	End	Hrs	Activity Description
-------	-----	-----	----------------------

06:00	07:00	1.0	DRILL 8030' TO 8106' TD. REACHED TD AT 07:00 HRS, 12/28/04.
-------	-------	-----	---

07:00	08:00	1.0	CIRC TO COND HOLE & MUD FOR 4.5" CASING.
-------	-------	-----	--

08:00	09:00	1.0	WIPER TRIP 15 STANDS.
-------	-------	-----	-----------------------

09:00	10:00	1.0	CIRC & RIG UP LAY DOWN MACHINE.
-------	-------	-----	---------------------------------

10:00	14:30	4.5	LAY DOWN DRILL PIPE & BHA. PULLED WEAR BUSHING.
-------	-------	-----	---

14:30	00:00	9.5	RU WESTATES. RAN 185 JTS 4.5", 11.6#, N-80 LTC CSG IN THE FOLLOWING ORDER: TPSJ 8092', FC 8090.80', 4 JTS CSG 7914.97', MJT 7895.08', 90 JTS CSG 3978.25', MJT 3958.30', 91 JTS CSG TO SURFACE. CASING LANDED @ 8102'.
-------	-------	-----	--

CIRC 1 HR. CEMENTED W/300 SX HILIFTG, YIELD 3.91, H2O: 24.46G/SX, 11#/GAL, PLUS 700 SX 50/50 POZG W/ADDITIVES, YIELD 1.29, H2O 5.96, SLURRY 14.1 PPG. DISPLACED TO FLOAT W/125 BBLS H2O W/2 GAL/1000 LO64. BUMPED PLUG W/800 PSI OVER PP. MAX PRESSURE 2550 PSIG. FLOAT HELD. CEMENT IN PLACE @ 24:00 HRS.

24:00	02:00	2.0	ND BOPS. SET SLIPS W/80K.
-------	-------	-----	---------------------------

FUEL USED 800 GAL

DSLTA 79

RIG RELEASED @ 02:00, 12/29/04

24.0 LOG TOPS

WASATCH 4315'

CHAPITA WELLS 4899'

NORTH HORN 6534'

ISLAND 7513'

MESAVERDE 7979'

01-29-2005 Reported By DAN LINDSEY

Daily Costs: Drilling**Completion****Daily Total****Cum Costs: Drilling****Completion****Well Total**

MD 8,106 TVD 8,106 Progress 0 Days 7 MW 0.0 Visc 0.0

Formation :

PBSD : 8095.0

Perf :

PKR Depth : 0.0

Activity at Report Time: PU TBG

Start	End	Hrs	Activity Description
-------	-----	-----	----------------------

07:00	17:30	10.5	RAN RST/CBL/VDL/GR/CCL FROM PBSD TO 1000. CEMENT TOP @1765. MIRUPU. ND TREE. NUBOP. PU 3-7/8" BIT, CSG SCRAPER, & 106 JTS 2-3/8" TBG. SWIFN
-------	-------	------	---

01-30-2005 Reported By DAN LINDSEY

Daily Costs: Drilling**Completion****Daily Total****Cum Costs: Drilling****Completion****Well Total**

MD 8,106 TVD 8,106 Progress 0 Days 8 MW 0.0 Visc 0.0
 Formation : PBTB : 8095.0 Perf : PKR Depth : 0.0

Activity at Report Time: PREPTO FRAC

Start End Hrs Activity Description
 07:00 12:30 5.5 PU 2-3/8" TBG. TAG@8077. CIRC W/TREATED WATER. POOH. TST CSG TO 4000 PSI. SWIFWE.

02-01-2005 Reported By DAN LINDSEY

DailyCosts: Drilling \$0 Completion Daily Total

Cum Costs: Drilling Completion Well Total

MD 8,106 TVD 8,106 Progress 0 Days 9 MW 0.0 Visc 0.0
 Formation : WASATCH PBTB : 8095.0 Perf : PKR Depth : 0.0

Activity at Report Time: PREP TO DRILL PLUGS

Start End Hrs Activity Description
 07:00 17:30 10.5 PERF ISLAND 7798-7802 & 7786-90 3 SPF 120 DEGREE PHASED. FRAC DOWN CSG WITH 4963 GALS YF125ST PAD & 35022 GALS YF125ST AND YF118ST WITH 120466# 20/40 SAND @1-6 PPG. MTP-6214 PSI. MTR-41.2 BPM. ATP-4829 PSI. ATR-37.8 BPM. ISIP-3510 PSI.

SET COMPOSITE FRAC PLUG @ 7754. PERF ISLAND 7720-24, 7706-08, 7698-7700, & 7680-82 2 SPF 180 DEGREE PHASED. FRAC DOWN CSG WITH 4953 GALS YF125ST PAD & 46127 GALS YF125ST AND YF118ST WITH 175116# 20/40 SAND @1-6 PPG. MTP-6366 PSI. MTR-44.4 BPM. ATP-5412 PSI. ATR-41.3 BPM. ISIP-4010 PSI.

SET 10K COMPOSITE BP @ 7648. RIH W/3-7/8" BIT & PUMPOFF SUB TO BP. SWIFN.

02-02-2005 Reported By DAN LINDSEY

DailyCosts: Drilling Completion Daily Total

Cum Costs: Drilling Completion Well Total

MD 8,106 TVD 8,106 Progress 0 Days 10 MW 0.0 Visc 0.0
 Formation : WASATCH PBTB : 8095.0 Perf : 7680-7802 PKR Depth : 0.0

Activity at Report Time: FLOWING

Start End Hrs Activity Description
 07:00 14:00 7.0 SICP=SITP=0 PSI. DRILLED PLUGS @ 7648 & 7754. TAG FILL AT 7980. CO TO 8077. LANDED TBG @ 7835. NDBOP. NU TREE. PUMPED OFF BIT AT 2500 PSI.

FLOWED 16 HRS. 32/64" CHOKE. FTP-50 PSI. CP-1500 PSI. 30-60 BFPH. REC 400 BLW. 2125 BLWTR.

TUBING DETAIL	LENGTH
PUMP OFF SUB	0.90
1 JT 2-3/8" 4.7# J55 8RD TBG	32.45
XN NIPPLE	1.10
240 JTS 2-3/8" 4.7# J55 8RD TBG	7785.57
BELOW KB	15.00
LANDED TBG @	7835.02 KB

02-03-2005 Reported By DAN LINDSEY

Daily Costs: Drilling**Completion****Daily Total****Cum Costs: Drilling****Completion****Well Total**

MD	8,106	TVD	8,106	Progress	0	Days	11	MW	0.0	Visc	0.0
----	-------	-----	-------	----------	---	------	----	----	-----	------	-----

Formation : WASATCH

PBSD : 8095.0

Perf : 7680-7802

PKR Depth : 0.0

Activity at Report Time: FLOWING

Start	End	Hrs	Activity Description
-------	-----	-----	----------------------

06:00	06:00	24.0	FLOWED 24 HRS. 32/64" CHOKE. FTP-250 PSI. CP-600 PSI. 40 BFPH. REC 435 BLW. 1690 BLWTR.
-------	-------	------	---

02-04-2005

Reported By

DAN LINDSEY

Daily Costs: Drilling**Completion****Daily Total****Cum Costs: Drilling****Completion****Well Total**

MD	8,106	TVD	8,106	Progress	0	Days	12	MW	0.0	Visc	0.0
----	-------	-----	-------	----------	---	------	----	----	-----	------	-----

Formation : WASATCH

PBSD : 8095.0

Perf : 7680-7802

PKR Depth : 0.0

Activity at Report Time: WO FACILITIES

Start	End	Hrs	Activity Description
-------	-----	-----	----------------------

06:00	10:00	4.0	FLOWED 4 HRS. 32/64" CHOKE. FTP 250 PSIG. CP 600 PSIG. 10 BFPH. REC 30 BLW. 1660 BLWTR. SI. FACILITIES COMPLETE. WO FINAL PIPELINE CONNECTIONS.
-------	-------	-----	---

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENTFORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other2. Name of Operator
EOG RESOURCES, INC.3a. Address
P.O. BOX 250 Big Piney WY, 831133b. Phone No. (include area code)
307-276-3331

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

Section 35, T10S, R19E, (NE/SW) 1863 FSL 2228 FWL 39.90141 LAT 109.75093 LON

5. Lease Serial No.

UTU 3405

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

WILD HORSE BENCH 011-35E

9. API Well No.

43-047-35053

10. Field and Pool, or Exploratory Area

NATURAL BUTTES

11. County or Parish, State

UINTAH COUNTY, UT

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input checked="" type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other DRILLING
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	OPERATIONS
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

Please see the attached well chronology report for drilling operations from 2/04/2005 - 2/11/2005.

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

Kaylene R. Gardner

Title Regulatory Assistant

Signature

Date

02/11/2005

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

RECEIVED

FEB 15 2005

DIV. OF OIL, GAS & MINING



WELL CHRONOLOGY REPORT

CONFIDENTIAL

Report Generated On: 02-11-2005

Well Name	WHB 11-35E	Well Type	DEVG	Division	DENVER
Field	OLD SQUAW'S CROSSING	API #	43-047-35053	Well Class	1SA
County, State	UINTAH, UT	Spud Date	12-23-2004	Class Date	02-04-2005
Tax Credit	N	TVD / MD	8,000/ 8,000	Property #	055683
Water Depth	0	Last CSG	2.375	Shoe TVD / MD	0/ 0
KB / GL Elev	5,395/ 5,377				
Location	Section 35, T10S, R19E, NESW, 1863 FSL & 2228 FWL				

Event No	1.0	Description	DRILL & COMPLETE		
Operator	EOG RESOURCES, INC	WI %	50.0	NRI %	40.75

AFE No		AFE Total		DHC / CWC			
Rig Contr	KEY	Rig Name	KEY #942	Start Date	11-17-2004	Release Date	12-29-2004
11-17-2004	Reported By						
Daily Costs: Drilling	\$0	Completion	\$0	Daily Total	\$0		
Cum Costs: Drilling	\$0	Completion	\$0	Well Total	\$0		
MD	0	TVD	0	Progress	0	Days	0
MW	0.0	Visc	0.0				
Formation :	PBTd : 0.0			Perf :	PKR Depth : 0.0		

Activity at Report Time: LOCATION DATA

Start	End	Hrs	Activity Description
06:00	06:00	24.0	LOCATION DATA:
			1863' FSL & 2228' FWL (NE/SW)
			SECTION 35, T10S, R19E
			UINTAH COUNTY, UTAH
			KEY #942
			OBJECTIVE: 8000' TD, KMV PRICE RIVER
			DW/GAS
			NATURAL BUTTES
			OLD SQUAWS CROSSING AREA
			LEASE: UTU-3405
			ELEVATION: 5378' NAT GL, 5377' PREP GL, 5395' KB (18')
			EOG WI 50%, NRI 40.75%

12-04-2004 Reported By ED TROTTER

Daily Costs: Drilling		Completion		Daily Total	
Cum Costs: Drilling		Completion		Well Total	
MD	2,455	TVD	2,455	Progress	0
MW	0.0	Visc	0.0		
Formation :	PBTd : 0.0			Perf :	PKR Depth : 0.0

LANDED @ 7835.02' KB

02-03-2005 Reported By DAN LINDSEY

DailyCosts: Drilling

Completion

Daily Total

Cum Costs: Drilling

Completion

Well Total

MD 8,106 TVD 8,106 Progress 0 Days 11 MW 0.0 Visc 0.0

Formation : WASATCH

PBSD : 8095.0

Perf : 7680-7802

PKR Depth : 0.0

Activity at Report Time: FLOWING

Start End Hrs Activity Description

06:00 06:00 24.0 FLOWED 24 HRS. 32/64" CHOKE. FTP 250 PSIG. CP 600 PSIG. 40 BFPH. RECOVERED 435 BLW. 1690 BLWTR.

02-04-2005 Reported By DAN LINDSEY

DailyCosts: Drilling

Completion

Daily Total

Cum Costs: Drilling

Completion

Well Total

MD 8,106 TVD 8,106 Progress 0 Days 12 MW 0.0 Visc 0.0

Formation : WASATCH

PBSD : 8095.0

Perf : 7680-7802

PKR Depth : 0.0

Activity at Report Time: WO FACILITIES

Start End Hrs Activity Description

06:00 10:00 4.0 FLOWED 4 HRS. 32/64" CHOKE. FTP 250 PSIG. CP 600 PSIG. 10 BFPH. REC 30 BLW. 1660 BLWTR. SI. FACILITIES COMPLETE. WO FINAL PIPELINE CONNECTIONS.

FINAL COMPLETION DATE 2/3/05

02-05-2005 Reported By JAY ORR

DailyCosts: Drilling

Completion

Daily Total

Cum Costs: Drilling

Completion

Well Total

MD 8,106 TVD 8,106 Progress 0 Days 13 MW 0.0 Visc 0.0

Formation : WASATCH

PBSD : 8095.0

Perf : 7680-7802

PKR Depth : 0.0

Activity at Report Time: INITIAL PRODUCTION

Start End Hrs Activity Description

06:00 06:00 24.0 OPENING PRESSURE: SITP 1670 PSIG. SICP 2000 PSIG. TURNED WELL TO QUESTAR SALES AT 10:30 AM, 2/4/05. FLOWING 1200 MCFD RATE ON 14/64" CK.

02-07-2005 Reported By JAY ORR

DailyCosts: Drilling

Completion

Daily Total

Cum Costs: Drilling

Completion

Well Total

MD 8,106 TVD 8,106 Progress 0 Days 14 MW 0.0 Visc 0.0

Formation : WASATCH

PBSD : 8095.0

Perf : 7680-7802

PKR Depth : 0.0

Activity at Report Time: ON SALES

Start End Hrs Activity Description

06:00 06:00 24.0 2/6/05 - FLOWED 531 MCF, 0 BC & 60 BW IN 24 HRS ON 14/64" CK, FTP 950 & CP 1100 PSIG.

2/7/05 - FLOWED 477 MCF, 7 BC & 45 BW IN 24 HRS ON 14/64" CK, FTP 970 & CP 1200 PSIG. LP 815 PSIG.

02-08-2005 Reported By JAY ORR

DailyCosts: Drilling

Completion

Daily Total

Cum Costs: Drilling				Completion		Well Total					
MD	8,106	TVD	8,106	Progress	0	Days	15	MW	0.0	Visc	0.0
Formation : WASATCH			PBTd : 8095.0		Perf : 7680-7802		PKR Depth : 0.0				

Activity at Report Time: ON SALES

Start	End	Hrs	Activity Description
06:00	06:00	24.0	FLOWED 512 MCF, 0 BC & 35 BW IN 24 HRS ON 14/64" CK, FTP 950 & CP 1060 PSIG.

02-09-2005 Reported By JAY ORR

Daily Costs: Drilling				Completion		Daily Total					
Cum Costs: Drilling				Completion		Well Total					
MD	8,106	TVD	8,106	Progress	0	Days	16	MW	0.0	Visc	0.0
Formation : WASATCH			PBTd : 8095.0		Perf : 7680-7802		PKR Depth : 0.0				

Activity at Report Time: ON SALES

Start	End	Hrs	Activity Description
06:00	06:00	24.0	FLOWED 517 MCF, 8 BC & 51 BW IN 24 HRS ON 14/64" CK, FTP 970 & CP 1125 PSIG. LP 829 PSIG.

02-10-2005 Reported By JAY ORR

Daily Costs: Drilling				Completion		Daily Total					
Cum Costs: Drilling				Completion		Well Total					
MD	8,106	TVD	8,106	Progress	0	Days	17	MW	0.0	Visc	0.0
Formation : WASATCH			PBTd : 8095.0		Perf : 7680-7802		PKR Depth : 0.0				

Activity at Report Time: ON SALES

Start	End	Hrs	Activity Description
06:00	06:00	24.0	FLOWED 516 MCF, 5 BC & 23 BW IN 24 HRS ON 14/64" CK, FTP 990 & CP 1110 PSIG. LP 835 PSIG.

02-11-2005 Reported By JAY ORR

Daily Costs: Drilling				Completion		Daily Total					
Cum Costs: Drilling				Completion		Well Total					
MD	8,106	TVD	8,106	Progress	0	Days	18	MW	0.0	Visc	0.0
Formation : WASATCH			PBTd : 8095.0		Perf : 7680-7802		PKR Depth : 0.0				

Activity at Report Time: ON SALES

Start	End	Hrs	Activity Description
-------	-----	-----	----------------------

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

CONFIDENTIAL

FORM APPROVED
OMB No. 1004-0137
Expires: November 30, 2000

020

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

1a. Type of Well <input type="checkbox"/> Oil Well <input checked="" type="checkbox"/> Gas Well <input type="checkbox"/> Dry <input type="checkbox"/> Other			5. Lease Serial No. UTU 3405		
b. Type of Completion <input checked="" type="checkbox"/> New Well <input type="checkbox"/> Work Over <input type="checkbox"/> Deepen <input type="checkbox"/> Plug Back <input type="checkbox"/> Diff. Resvr. Other _____			6. If Indian, Allottee or Tribe Name		
2. Name of Operator EOG RESOURCES, INC.			Contact: KAYLENE R GARDNER E-Mail: kaylene_gardner@eogresources.com		
3. Address P.O. BOX 250 BIG PINEY, WY 83113			3a. Phone No. (include area code) Ph: 307-276-3331 Ext: 4842		
4. Location of Well (Report location clearly and in accordance with Federal requirements)* At surface NESW 1863FSL 2228FWL 39.90141 N Lat, 109.75093 W Lon At top prod interval reported below NESW 1863FSL 2228FWL 39.90141 N Lat, 109.75093 W Lon At total depth NESW 1863FSL 2228FWL 39.90141 N Lat, 109.75093 W Lon			8. Lease Name and Well No. WILD HORSE BENCH 11-35E		
14. Date Spudded 11/23/2004			15. Date T.D. Reached 12/28/2004		
16. Date Completed <input type="checkbox"/> D & A <input checked="" type="checkbox"/> Ready to Prod. 02/04/2005			9. API Well No. 43-047-35053		
18. Total Depth: MD 8106 TVD			19. Plug Back T.D.: MD 8095 TVD		
20. Depth Bridge Plug Set: MD TVD			10. Field and Pool, or Exploratory NATURAL BUTTES		
21. Type Electric & Other Mechanical Logs Run (Submit copy of each) <u>RST/VDL/GR/CCL/CBI</u>			11. Sec., T., R., M., or Block and Survey or Area Sec 35 T10S R19E Mer SLB		
22. Was well cored? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis) Was DST run? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis) Directional Survey? <input checked="" type="checkbox"/> No <input type="checkbox"/> Yes (Submit analysis)			12. County or Parish UINTAH		
			13. State UT		
			17. Elevations (DF, KB, RT, GL)* 5395 KB		

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12.250	9.625 J-55	36.0	0	2444		645			
7.875	4.500 N-80	11.6	0	8102		1000			

RECEIVED

MAR 21 2005

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2.375	7835							

DIV. OF OIL, GAS & MINING

25. Producing Intervals

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) MESAVERDE	7802	5024	7786 TO 7802		3	SPF
B)			7680 TO 7724		2	SPF
C)			7158 TO 7395		2	SPF
D)			6790 TO 7075		2	SPF

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
7786 TO 7802	952 BBLs GELLED WATER & 120,466 # 20/40 SAND
7680 TO 7724	1216 BBLs GELLED WATER & 175,116 # 20/40 SAND
7158 TO 7395	376 BBLs GELLED WATER & 65,836 # 20/40 SAND
6790 TO 7075	319 BBLs GELLED WATER & 47,548 # 20/40 SAND

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
02/04/2005	03/02/2005	24	→	0.0	123.0	33.0			FLows FROM WELL
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
14/64	SI	800.0	→	0	123	33		PGW	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
			→						

(See Instructions and spaces for additional data on reverse side)

ELECTRONIC SUBMISSION #55121 VERIFIED BY THE BLM WELL INFORMATION SYSTEM

** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED ** OPERATOR-SUBMITTED **

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production →	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate →	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	

29. Disposition of Gas(Sold, used for fuel, vented, etc.)
CAPTURED

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top Meas. Depth
MESAVERDE	7802	5024		WASATCH CHAPITA WELLS NORTHORN ISLAND MESAVERDE	4315 4899 6534 7513 7979

32. Additional remarks (include plugging procedure):

TURNED TO SALES THROUGH QUESTAR METER # 6632. One 400 bbl tank # 80543V is on location.
 Perforated the Island from 7798-7802' & 7786-90' w/3 SPF.
 Perforated the Island from 7720-24', 7706-08', 7698-77' & 7680-82' w/2 SPF.
 Perforated the Northhorn from 7158-62', 7195-97', 7330-32' & 7392-95' w/2 SPF.
 Perforated the Northhorn from 6790-92', 6866-69', 6917-18', 6945-47', 7036-37', 7055-56' & 7074-75' w/2 SPF.
 Perforated the Ba from 5655-57', 5671-73', 5716-20', 5812-15' & 5891-92' w/2 SPF.
 Fracture stimulated with 468 bbls gelled water & 84,505 # 20/40 sand.

33. Circle enclosed attachments:

- | | | | |
|---|--------------------|---------------|-----------------------|
| 1. Electrical/Mechanical Logs (1 full set req'd.) | 2. Geologic Report | 3. DST Report | 4. Directional Survey |
| 5. Sundry Notice for plugging and cement verification | 6. Core Analysis | 7. Other: | |

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

Electronic Submission #55121 Verified by the BLM Well Information System.
 For EOG RESOURCES, INC., sent to the Vernal

Name (please print) KAYLENE R GARDNERTitle REGULATORY ASSISTANTSignature (Electronic Submission)Date 03/17/2005

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

**** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ** ORIGINAL ****

Additional data for transaction #55121 that would not fit on the form

CONFIDENTIAL

32. Additional remarks, continued

Perforated the Ca from 5476-82', 5487-89' & 5498-5502' w/3 SPF. Fracture stimulated with 466 bbls gelled water & 83,704 # 20/40 sand.
Perforated the Ca from 5189-92', 5197-99', 5208-10', 5212-14' & 5257-61' w/2 SPF. Fracture stimulated with 485 bbls gelled water & 84,223 # 20/40 sand.
Perforated the Ca from 5024-28', 5031-35' & 5096-98' w/3 SPF. Fractures stimulated with 376 bbls gelled water & 68,648 # 20/40 sand.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT*Amended*

CONFIDENTIAL

FORM APPROVED
OMB No. 1004-0137
Expires: November 30, 2000

021

WELL COMPLETION OR RECOMPLETION REPORT AND LOG

5. Lease Serial No.
UTU 34051a. Type of Well ☐ Oil Well ☒ Gas Well ☐ Dry ☐ Other
b. Type of Completion ☒ New Well ☐ Work Over ☐ Deepen ☐ Plug Back ☐ Diff. Resvr.
Other _____

6. If Indian, Allottee or Tribe Name

7. Unit or CA Agreement Name and No.

2. Name of Operator
EOG RESOURCES, INC.Contact: KAYLENE R GARDNER
E-Mail: kaylene_gardner@eogresources.com8. Lease Name and Well No.
WILD HORSE BENCH 11-35E3. Address P.O. BOX 250
BIG PINEY, WY 831133a. Phone No. (include area code)
Ph: 307-276-3331 Ext: 48429. API Well No.
43-047-35053

4. Location of Well (Report location clearly and in accordance with Federal requirements)*

At surface NESW 1863FSL 2228FWL 39.90141 N Lat, 109.75093 W Lon

At top prod interval reported below NESW 1863FSL 2228FWL 39.90141 N Lat, 109.75093 W Lon

At total depth NESW 1863FSL 2228FWL 39.90141 N Lat, 109.75093 W Lon

10. Field and Pool, or Exploratory
NATURAL BUTTES11. Sec., T., R., M., or Block and Survey
or Area Sec 35 T10S R19E Mer SLB12. County or Parish
UINTAH13. State
UT14. Date Spudded
11/23/200415. Date T.D. Reached
12/28/200416. Date Completed
☐ D & A ☒ Ready to Prod.
02/04/200517. Elevations (DF, KB, RT, GL)*
5395 KB18. Total Depth: MD
TVD 810619. Plug Back T.D.: MD
TVD 809520. Depth Bridge Plug Set: MD
TVD21. Type Electric & Other Mechanical Logs Run (Submit copy of each)
RST/VDL/GR/CCL/CBL22. Was well cored? ☒ No ☐ Yes (Submit analysis)
Was DST run? ☒ No ☐ Yes (Submit analysis)
Directional Survey? ☒ No ☐ Yes (Submit analysis)

23. Casing and Liner Record (Report all strings set in well)

Hole Size	Size/Grade	Wt. (#/ft.)	Top (MD)	Bottom (MD)	Stage Cementer Depth	No. of Sk. & Type of Cement	Slurry Vol. (BBL)	Cement Top*	Amount Pulled
12.250	9.625 J-55	36.0	0	2444		645			
7.875	4.500 N-80	11.6	0	8102		1000			

24. Tubing Record

Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)	Size	Depth Set (MD)	Packer Depth (MD)
2.375	7835							

25. Producing Intervals

26. Perforation Record

Formation	Top	Bottom	Perforated Interval	Size	No. Holes	Perf. Status
A) WASATCH	7802	5024	7786 TO 7802			3 SPF
B)			7680 TO 7724			2 SPF
C)			7158 TO 7395			2 SPF
D)			6790 TO 7075			2 SPF

27. Acid, Fracture, Treatment, Cement Squeeze, Etc.

Depth Interval	Amount and Type of Material
7786 TO 7802	952 BBLS GELLED WATER & 120,466 # 20/40 SAND
7680 TO 7724	1216 BBLS GELLED WATER & 175,116 # 20/40 SAND
7158 TO 7395	376 BBLS GELLED WATER & 65,836 # 20/40 SAND
6790 TO 7075	319 BBLS GELLED WATER & 47,548 # 20/40 SAND

28. Production - Interval A

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
02/04/2005	03/02/2005	24	→	0.0	123.0	33.0			FLOWS FROM WELL
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
14/64	SI	800.0	→	0	123	33		PGW	

28a. Production - Interval B

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
	SI		→						

(See Instructions and spaces for additional data on reverse side) CORRECTED PRODUCING INTERVALS FROM PRIOR SUBMISSION EC # 55121 DATED 3/17/2005

APR 04 2005

DIP YL, GARDNER INC

28b. Production - Interval C

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
			→						

28c. Production - Interval D

Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method
			→						
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas:Oil Ratio	Well Status	
			→						

29. Disposition of Gas(Sold, used for fuel, vented, etc.)
CAPTURED

30. Summary of Porous Zones (Include Aquifers):

Show all important zones of porosity and contents thereof: Cored intervals and all drill-stem tests, including depth interval tested, cushion used, time tool open, flowing and shut-in pressures and recoveries.

31. Formation (Log) Markers

Formation	Top	Bottom	Descriptions, Contents, etc.	Name	Top Meas. Depth
WASATCH	7802	5024		WASATCH CHAPITA WELLS NORTHORN ISLAND MESAVERDE	4315 4899 6534 7513 7979

32. Additional remarks (include plugging procedure):

TURNED TO SALES THROUGH QUESTAR METER # 6632. One 400 bbl tank # 80543V is on location.

Perforated the Island from 7798-7802 & 7786-90' w/3 SPF.

Perforated the Island from 7720-24', 7706-08', 7698-77' & 7680-82' w/2 SPF.

Perforated the Northhorn from 7158-62', 7195-97', 7330-32' & 7392-95' w/2 SPF.

Perforated the Northhorn from 6790-92', 6866-69', 6917-18', 6945-47', 7036-37', 7055-56' & 7074-75' w/2 SPF.

Perforated the Ba from 5655-57', 5671-73', 5716-20', 5812-15' & 5891-92' w/2 SPF.

Fracture stimulated with 468 bbls gelled water & 84,505 # 20/40 sand.

33. Circle enclosed attachments:

1. Electrical/Mechanical Logs (1 full set req'd.)

2. Geologic Report

3. DST Report

4. Directional Survey

5. Sundry Notice for plugging and cement verification

6. Core Analysis


7 Other:

34. I hereby certify that the foregoing and attached information is complete and correct as determined from all available records (see attached instructions):

Name (please print) KAYLENE R GARDNER

Title REGULATORY ASSISTANT

Signature



Date 3/31/2005

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

CORRECTED PRODUCING INTERVAL FROM PRIOR SUBMISSION EC # 55121 DATED 3/17/2005

CONFIDENTIAL

Additional data that would not fit on the form

32. Additional remarks, continued

Perforated the Ca from 5476-82', 5487-89' & 5498-5502' w/3 SPF. Fracture stimulated with 466 bbls gelled water & 83,704 # 20/40 sand.
Perforated the Ca from 5189-92', 5197-99', 5208-10', 5212-14' & 5257-61' w/2 SPF. Fracture stimulated with 485 bbls gelled water & 84,223 # 20/40 sand.
Perforated the Ca from 5024-28', 5031-35' & 5096-98' w/3 SPF. Fractures stimulated with 376 bbls gelled water & 68,648 # 20/40 sand.



CONFIDENTIAL

EOG Resources, Inc.
600 Seventeenth Street
Suite 1100N
Denver, CO 80202
(303) 572-9000
Fax: (303) 824-5400

June 21, 2005

Utah Division of Oil, Gas and Mining
1594 West North Temple, Suite 1210
Salt Lake City, 84114-5801

43-047-35053
RE: WHB 11-35E
T10S-R19E-Sec. 35
Uintah County, Utah

Carol:

Enclosed herewith are the following logs and data associated with the subject well:

WHB 11-35E
Cement Bond Log Gamma Ray/CCL 12-31-04 (2)
Reservoir Saturation Tool Gamma Ray/CCL 12-31-04 (2)

Please contact me if you have any questions.

Regards,

EOG RESOURCES, INC.

Crista Messenger
Exploration & Operations Secretary
Denver Office

Enc. 4
cc: Well File

RECEIVED
JUN 23 2005
DIV. OF OIL, GAS & MINING

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: March 31, 2007

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

SUBMIT IN TRIPLICATE- Other instructions on reverse side.

1. Type of Well
☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator **EOG RESOURCES, INC**

3a. Address
1060 East Highway 40, Vernal, UT 84078

3b. Phone No. (include area code)
435-781-9111

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)

**1863 FSL 2228 FWL (NESW) S.L.B.&M
SECTION 35, T10S, R19E 39.90141 LAT 109.75093 LON**

5. Lease Serial No.

UTU 305

6. If Indian, Allottee or Tribe Name

7. If Unit or CA/Agreement, Name and/or No.

8. Well Name and No.

WILD HORSE BENCH 11-35E

9. API Well No.

43-047-35053

10. Field and Pool, or Exploratory Area

NATURAL BUTTES

11. County or Parish, State

UINTAH COUNTY, UTAH

12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other ADDITION
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	6" PIPELINE
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleat horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleat in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

EOG Resources, Inc. respectfully requests permission to install an additional 6" pipeline in the existing right-of-way. The proposed pipeline will be installed within the existing 40-foot right-of-way. No new surface disturbance shall occur.

**Accepted by the
Utah Division of
Oil, Gas and Mining
For Record Only**

14. I hereby certify that the foregoing is true and correct
Name (Printed/Typed)

KAYLENE R. GARDNER

Title **SR. REGULATORY ASSISTANT**

Signature

Date

10/09/2006

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Title

Date

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office


Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

RECEIVED

OCT 13 2006

DIV. OF OIL, GAS & MINING



APPROXIMATE TOTAL PIPELINE DISTANCE = 8,400' +/-

LEGEND:

- PROPOSED ACCESS ROAD
- - - - - EXISTING PIPELINE
- - - - - PROPOSED PIPELINE



DOMINION EXPLR. & PROD., INC.

WHB #11-35E
SECTION 35, T10S, R19E, S.L.B.&M.
1863' FSL 2228' FWL



Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
(435) 789-1017 * FAX (435) 789-1813

TOPOGRAPHIC MAP

SCALE: 1" = 1000' DRAWN BY: P.M. REVISED: 00-00-00

D
TOPO

05 12 03
MONTH DAY YEAR

Division of Oil, Gas and Mining
OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
CDW

X - Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:

10/1/2011

FROM: (Old Operator):
N9550-EOG Resources, Inc.
1060 E Highway 40
Vernal, UT 84078

Phone: 1 (435) 781-9145

TO: (New Operator):
N3755-Koch Exploration Company, LLC.
9777 Pyramid Court, Suite 210
Englewood, CO 80112

Phone: 1 (303) 325-2561

CA No.

Unit:

WELL NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
SEE ATTACHED LIST - 28 WELLS								

OPERATOR CHANGES DOCUMENTATION

Enter date after each listed item is completed

- (R649-8-10) Sundry or legal documentation was received from the **FORMER** operator on: 11/9/2011
- (R649-8-10) Sundry or legal documentation was received from the **NEW** operator on: 11/9/2011
- The new company was checked on the **Department of Commerce, Division of Corporations Database** on: 6/29/2011
- Is the new operator registered in the State of Utah: Business Number: 5078823-0161
- (R649-9-2)Waste Management Plan has been received on: Requested 12/19/2011
- Inspections of LA PA state/fee well sites complete on: n/a
- Reports current for Production/Disposition & Sundries on: ok
- Federal and Indian Lease Wells:** The BLM and or the BIA has approved the merger, name change, or operator change for all wells listed on Federal or Indian leases on: BLM 11/2/2011 BIA
- Federal and Indian Units:**
The BLM or BIA has approved the successor of unit operator for wells listed on: 10/24/2011
- Federal and Indian Communization Agreements ("CA"):**
The BLM or BIA has approved the operator for all wells listed within a CA on: not yet
- Underground Injection Control ("UIC")** Division has approved UIC Form 5 Transfer of Authority to **Inject**, for the enhanced/secondary recovery unit/project for the water disposal well(s) listed on: n/a

DATA ENTRY:

- Changes entered in the **Oil and Gas Database** on: 12/19/2011
- Changes have been entered on the **Monthly Operator Change Spread Sheet** on: 12/19/2011
- Bond information entered in RBDMS on: n/a
- Fee/State wells attached to bond in RBDMS on: n/a
- Injection Projects to new operator in RBDMS on: n/a
- Receipt of Acceptance of Drilling Procedures for APD/New on: n/a

BOND VERIFICATION:

- Federal well(s) covered by Bond Number: COB000296
- Indian well(s) covered by Bond Number: n/a
- (R649-3-1) The **NEW** operator of any state/fee well(s) listed covered by Bond Number n/a
- The **FORMER** operator has requested a release of liability from their bond on: n/a

LEASE INTEREST OWNER NOTIFICATION:

- (R649-2-10) The **NEW** operator of the fee wells has been contacted and informed by a letter from the Division of their responsibility to notify all interest owners of this change on: n/a

COMMENTS: Five undrilled APDs are not being transferred at this time and may be rescinded in the future.

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS
Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
Multiple Leases

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2.

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
EOG Resources, Inc

N9550

3a. Address
1060 EAST HIGHWAY 40, VERNAL, UT 84078

3b. Phone No. (include area code)
435-781-9145

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
See Attached

7. If Unit of CA/Agreement, Name and/or No.
Natural Buttes

8. Well Name and No.
Multiple Wells

9. API Well No.
See Attached

10. Field and Pool or Exploratory Area
Natural Buttes

11. Country or Parish, State
Uintah, Utah

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>Change of Operator</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recompleate horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompleation in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

EOG Resources, Inc. has assigned all of its right, title and interest in the wells described in the attached list (the "Subject Wells") to Koch Exploration Company, LLC and will relinquish and transfer operatorship of all of the Subject Wells to Koch Exploration Company, LLC on October 1, 2011.

As of October 1, 2011, Koch Exploration Company, LLC will be considered to be the operator of each of the Subject Wells and will be responsible under the terms and conditions of the applicable lease for the operations conducted upon the leased lands. Bond coverage is provided under Koch Exploration Company, LLC's Nationwide BLM Bond No. COB000296.

KOCH EXPLORATION COMPANY, LLC

N3755

By:  Date: September 1, 2011

Brian J. Kissick
Vice President

Address: 9777 Pyramid Court, Suite 210
Englewood, Colorado 80112

Telephone Number: (303) 325-2561

RECEIVED

NOV 09 2011

DIV. OF OIL, GAS & MINING

14. I hereby certify that the foregoing is true and correct.

Name (Printed/Typed)
J. Michael Schween

Title Agent and Attorney-in-Fact

Signature


Date 09/01/2011

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

APPROVED 12/19/2011

Approved by

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.


Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)



Change of Operator from EOG Resources, Inc (N9555)
to Koch Exploration Company, LLC (N3755)

HOME FED 1	34	100S	190E	4304730223	10	Federal	GW	S
LITTLE PAPOOSE FED 1-26	26	100S	190E	4304731779	10715	Federal	GW	P
WH FED 2-26	26	100S	190E	4304731882	11051	Federal	GW	P
WH FED 2-35	35	100S	190E	4304731901	11254	Federal	GW	P
WH FED 3-26	26	100S	190E	4304732377	11439	Federal	GW	P
WH FED 3-35	35	100S	190E	4304732389	11444	Federal	GW	P
WILDHORSE FED 105-34	34	100S	190E	4304733419	12689	Federal	GW	S
WILDHORSE FED 106-35	35	100S	190E	4304733420	12688	Federal	GW	P
WHB 8-35E	35	100S	190E	4304735038	14118	Federal	GW	S
WHB 8-34E	34	100S	190E	4304735044	14404	Federal	GW	P
WHB 11-35E	35	100S	190E	4304735053	14426	Federal	GW	P
WHB 3-35E	35	100S	190E	4304735066	14403	Federal	GW	P
WHB 9-35E	35	100S	190E	4304735067	14405	Federal	GW	P
WH FED 120-34	34	100S	190E	4304736744	15224	Federal	GW	P
WH FED 121-34	34	100S	190E	4304736745	15602	Federal	GW	S
WH FED 116-34	34	100S	190E	4304736746	15616	Federal	GW	P
WH FED 109-35	35	100S	190E	4304736747	15252	Federal	GW	P
WH FED 112-35	35	100S	190E	4304736748	15613	Federal	GW	S
WH FED 115-35	35	100S	190E	4304736749	15221	Federal	GW	P
WH FED 118-35	35	100S	190E	4304736750	15222	Federal	GW	S
WH FED 117-35	35	100S	190E	4304736751	15251	Federal	GW	P
WH FED 108-34	34	100S	190E	4304737668	16115	Federal	GW	P
WH FED 110-35	35	100S	190E	4304737669	16081	Federal	GW	P
WH FED 107-34	34	100S	190E	4304737681	15958	Federal	GW	P
WH FED 111-35	35	100S	190E	4304737682	16001	Federal	GW	P
WH FED 119-35	35	100S	190E	4304737683	16047	Federal	GW	P
WH FED 122-34	34	100S	190E	4304739436	16900	Federal	GW	P
WH FED 123-35	35	100S	190E	4304739437	16960	Federal	GW	P

UNITED STATES
DEPARTMENT OF THE INTERIOR
BUREAU OF LAND MANAGEMENT

RECEIVED

FORM APPROVED
OMB No. 1004-0137
Expires: July 31, 2010

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or to re-enter an abandoned well. Use Form 3160-3 (APD) for such proposals.

5. Lease Serial No.
Multiple Leases

6. If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLICATE - Other instructions on page 2.

1. Type of Well

☐ Oil Well ☒ Gas Well ☐ Other

2. Name of Operator
EOG Resources, Inc

3a. Address
1060 EAST HIGHWAY 40, VERNAL, UT 84078

3b. Phone No. (include area code)
435-781-9145

7. If Unit of CA/Agreement, Name and/or No.
Natural Buttes

8. Well Name and No.
Multiple Wells

9. API Well No.
See Attached

10. Field and Pool or Exploratory Area
Natural Buttes

4. Location of Well (Footage, Sec., T., R., M., or Survey Description)
See Attached

11. Country or Parish, State
Uintah, Utah

12. CHECK THE APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT OR OTHER DATA

TYPE OF SUBMISSION	TYPE OF ACTION			
<input checked="" type="checkbox"/> Notice of Intent	<input type="checkbox"/> Acidize	<input type="checkbox"/> Deepen	<input type="checkbox"/> Production (Start/Resume)	<input type="checkbox"/> Water Shut-Off
<input type="checkbox"/> Subsequent Report	<input type="checkbox"/> Alter Casing	<input type="checkbox"/> Fracture Treat	<input type="checkbox"/> Reclamation	<input type="checkbox"/> Well Integrity
<input type="checkbox"/> Final Abandonment Notice	<input type="checkbox"/> Casing Repair	<input type="checkbox"/> New Construction	<input type="checkbox"/> Recomplete	<input checked="" type="checkbox"/> Other <u>Change of Operator</u>
	<input type="checkbox"/> Change Plans	<input type="checkbox"/> Plug and Abandon	<input type="checkbox"/> Temporarily Abandon	
	<input type="checkbox"/> Convert to Injection	<input type="checkbox"/> Plug Back	<input type="checkbox"/> Water Disposal	

13. Describe Proposed or Completed Operation: Clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomple horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports must be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recomple in a new interval, a Form 3160-4 must be filed once testing has been completed. Final Abandonment Notices must be filed only after all requirements, including reclamation, have been completed and the operator has determined that the site is ready for final inspection.)

EOG Resources, Inc. has assigned all of its right, title and interest in the wells described in the attached list (the "Subject Wells") to Koch Exploration Company, LLC and will relinquish and transfer operatorship of all of the Subject Wells to Koch Exploration Company, LLC on October 1, 2011.

As of October 1, 2011, Koch Exploration Company, LLC will be considered to be the operator of each of the Subject Wells and will be responsible under the terms and conditions of the applicable lease for the operations conducted upon the leased lands. Bond coverage is provided under Koch Exploration Company, LLC's Nationwide BLM Bond No. COB000296.

KOCH EXPLORATION COMPANY, LLC

By: Brian J. Kissick Date: September 1, 2011
Vice President

Address: 9777 Pyramid Court, Suite 210
Englewood, Colorado 80112

Telephone Number: (303) 325-2561

14. I hereby certify that the foregoing is true and correct.
Name (Printed/Typed)

J. Michael Schween

Title Agent and Attorney-in-Fact

Signature

Date 09/01/2011

THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Approved by

Assistant Field Manager
Lands & Mineral Resources

NOV 02 2011

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Office

VERNAL FIELD OFFICE

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

(Instructions on page 2)

UDOGM

RECEIVED
NOV 04 2011
DIV. OF OIL, GAS & MINING

EXHIBIT A

API #	Well Name	Lease #	Unit Name	Unit #	Legal Description
4304730223	HOME FEDERAL 1-34	UTU3405	N/A	N/A	10S-19E-34-NENE
4304731722	OSCU II 1-27	UTU49518	North Alger	UTU063094X	10S-19E-27-SENE
4304731898	OSCU II 2-27	UTU49518	North Alger	UTU063094X	10S-19E-27-NWSE
4304733463	OSCU II 108-27	UTU49518	North Alger	UTU063094X	10S-19E-27-NENE
4304736269	OSCU II 109-27	UTU49518	North Alger	UTU063094X	10S-19E-27-SWSE
4304737680	OSCU II 116-27	UTU49518	North Alger	UTU063094X	10S-19E-27-NESE
4304737678	OSCU II 122-27	UTU49518	North Alger	UTU063094X	10S-19E-27-NWNE
4304736743	OSCU II 123-27	UTU49518	North Alger	UTU063094X	10S-19E-27-SWNE
4304737679	OSCU II 124-27	UTU49518	North Alger	UTU063094X	10S-19E-27-SESE
4304738902	OSCU II 125-34	UTU49523	North Alger	UTU063094X	10S-19E-34-NENNW
4304738901	OSCU II 126-34	UTU49523	North Alger	UTU063094X	10S-19E-34-NESW
4304735066	WHB 3-35E	UTU3405	N/A	N/A	10S-19E-35-NENNW
4304735044	WHB 8-34E	UTU3405	N/A	N/A	10S-19E-34-SENE
4304735038	WHB 8-35E	UTU3405	N/A	N/A	10S-19E-35-SENE
4304735067	WHB 9-35E	UTU3405	N/A	N/A	10S-19E-35-NESE
4304735053	WHB 11-35E	UTU3405	N/A	N/A	10S-19E-35-NESW
4304731901	WILD HORSE FED 2-35	UTU3405	N/A	N/A	10S-19E-35-NWNW
4304732389	WILD HORSE FED 3-35	UTU3405	N/A	N/A	10S-19E-35-NWSW
4304733419	WILD HORSE FED 105-34	UTU3405	N/A	N/A	10S-19E-34-NWNE
4304733420	WILD HORSE FED 106-35	UTU3405	N/A	N/A	10S-19E-35-SENW
4304737681	WILD HORSE FED 107-34	UTU49523	N/A	N/A	10S-19E-34-SESW
4304737668	WILD HORSE FED 108-34	UTU3405	N/A	N/A	10S-19E-34-SESE
4304736747	WILD HORSE FED 109-35	UTU3405	N/A	N/A	10S-19E-35-SWSW
4304737669	WILD HORSE FED 110-35	UTU3405	N/A	N/A	10S-19E-35-SWSE
4304737682	WILD HORSE FED 111-35	UTU3405	N/A	N/A	10S-19E-35-SESW
4304736748	WILD HORSE FED 112-35	UTU3405	N/A	N/A	10S-19E-35-SESE
4304736749	WILD HORSE FED 115-35	UTU3405	N/A	N/A	10S-19E-35-NWNE
4304736746	WILD HORSE FED 116-34	UTU3405	N/A	N/A	10S-19E-34-NESE
4304736751	WILD HORSE FED 117-35	UTU3405	N/A	N/A	10S-19E-35-SWNW
4304736750	WILD HORSE FED 118-35	UTU3405	N/A	N/A	10S-19E-35-SWNE
4304737683	WILD HORSE FED 119-35	UTU3405	N/A	N/A	10S-19E-35-NWSE
4304736744	WILD HORSE FED 120-34	UTU3405	N/A	N/A	10S-19E-34-SWNE
4304736745	WILD HORSE FED 121-34	UTU3405	N/A	N/A	10S-19E-34-SWSE
4304739436	WILD HORSE FED 122-34	UTU3405	N/A	N/A	10S-19E-34-NWSE
4304739437	WILD HORSE FED 123-35	UTU3405	N/A	N/A	10S-19E-35-NENE

United States Department of the Interior



BUREAU OF LAND MANAGEMENT
Green River District-Vernal Field Office
170 South 500 East
Vernal, UT 84078
(435) 781-4400 Fax: (435) 781-4410
<http://www.blm.gov/ut/st/en/fo/vernal.html>



43-047-35053

IN REPLY REFER TO:
3162.3 (UTG011)

NOV 02 2011

Brian J. Kissick
Koch Exploration Company, LLC
9777 Pyramid Court, Suite 210
Englewood, CO 80112

Re: Change of Operator
Well No. Wild Horse Bench 11-35E
NESW, Sec. 35, T10S, R19E
Uintah County, Utah
Lease No. UTU-3405

Dear Mr. Kissick:

This correspondence is in regard to the self-certification statement submitted requesting a change of operator for the above referenced well. After a review by this office, the change of operator request is approved. Effective October 1, 2011, Koch Exploration Company, LLC is responsible for all operations performed on the referenced well. All liability will now fall under your bond, BLM Bond No. COB000296, for all operations conducted on the referenced well on the leased land.

If you have any questions regarding this matter, please contact Cindy Severson of this office at (435) 781-4455.

Sincerely,

/s/ Jerry Kenczka

Jerry Kenczka
Assistant Field Manager
Lands & Mineral Resources

Enclosure

cc: UDOGM
XTO Energy, Inc.
EOG Resources, Inc.

bcc: Well File
Reading File

RECEIVED
NOV 04 2011
DIV. OF OIL, GAS & MINING

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		FORM 9
SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.		5. LEASE DESIGNATION AND SERIAL NUMBER: UTU-3405
1. TYPE OF WELL Gas Well		6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
2. NAME OF OPERATOR: KOCH EXPLORATION COMPANY LLC		7. UNIT or CA AGREEMENT NAME:
3. ADDRESS OF OPERATOR: 9777 Pyramid Court Ste 210 , Englewood, CO, 80112		8. WELL NAME and NUMBER: WHB 11-35E
4. LOCATION OF WELL FOOTAGES AT SURFACE: 1863 FSL 2228 FWL QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN: Qtr/Qtr: NESW Section: 35 Township: 10.0S Range: 19.0E Meridian: S		9. API NUMBER: 43047350530000
PHONE NUMBER: 303 325-2562 Ext		9. FIELD and POOL or WILDCAT: NATURAL BUTTES
COUNTY: UINTAH		STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA		
TYPE OF SUBMISSION	TYPE OF ACTION	
<input type="checkbox"/> NOTICE OF INTENT Approximate date work will start:	<input type="checkbox"/> ACIDIZE	
<input checked="" type="checkbox"/> SUBSEQUENT REPORT Date of Work Completion: 7/31/2014	<input type="checkbox"/> ALTER CASING	
<input type="checkbox"/> SPUD REPORT Date of Spud:	<input type="checkbox"/> CASING REPAIR	
<input type="checkbox"/> DRILLING REPORT Report Date:	<input type="checkbox"/> CHANGE TO PREVIOUS PLANS	
	<input type="checkbox"/> CHANGE TUBING	
	<input type="checkbox"/> CHANGE WELL STATUS	
	<input type="checkbox"/> COMMINGLE PRODUCING FORMATIONS	
	<input type="checkbox"/> DEEPEN	
	<input type="checkbox"/> FRACTURE TREAT	
	<input type="checkbox"/> OPERATOR CHANGE	
	<input type="checkbox"/> PLUG AND ABANDON	
	<input type="checkbox"/> PRODUCTION START OR RESUME	
	<input type="checkbox"/> RECLAMATION OF WELL SITE	
	<input type="checkbox"/> REPERFORATE CURRENT FORMATION	
	<input type="checkbox"/> SIDETRACK TO REPAIR WELL	
	<input type="checkbox"/> TUBING REPAIR	
	<input type="checkbox"/> VENT OR FLARE	
	<input type="checkbox"/> WATER SHUTOFF	
	<input type="checkbox"/> SI TA STATUS EXTENSION	
	<input type="checkbox"/> WILDCAT WELL DETERMINATION	
	<input checked="" type="checkbox"/> OTHER	
	OTHER: Raise Tubing to rtn to prod	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volumes, etc. 7/29/2014 - MIRUSU. Raised tubing to improve plunger performance. 7/30/2014 - Swab. 7/31/2014 - Successfully returned to production.		
Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY October 06, 2014		
NAME (PLEASE PRINT) J. Darlene Tadlock	PHONE NUMBER 505 334-9111	TITLE E&P Technician
SIGNATURE N/A	DATE 10/2/2014	

KOCH EXPLORATION CO LLC DAILY DRILLING REPORT											
Well:		WHB 11-35E				Date:		7-29-014		Drilled to:	
County/ST:		Uintah, Utah				Days:		1		Drilled from: 0	
Location:		Sec 35, T-10S, R-19 E				Rig:		Conquest Well Service #1		Footage: 0	
Elevation:						Supervisor:		Clark			
BIT DATA							COST DATA (US\$)				
Bit #	Size	Make	Type	Serial #	Jets	Cond		Daily	Cumulative		
	12 1/4						Location		\$0		
							Rig move		\$0		
Bit #	In	Out	Feet	Hours	WOB	RPM	Rig	\$5,000	\$5,000		
							Fuel		\$0		
							Camper		\$0		
PUMP DATA							BOPE	\$250	\$250		
Pump #	Make	Model	Liner	SPM	Rate	Pressure	Bits		\$0		
							Air Equip		\$0		
							Equip rental		\$0		
							Mud		\$0		
							Mud Logger		\$0		
SURVEY DATA							Trucking	\$1,500	\$1,500		
Depth	Deviation	Direction	Depth	Deviation	Direction		Water	\$500	\$500		
							Labor		\$0		
							Supervision		\$0		
							Core/DST		\$0		
MUD DATA							Logs		\$0		
Weight	Visc	YP	PV	Gels	WL	Cake	Cement		\$0		
							Fishing		\$0		
% Oil	% Water	% Solids	pH	Ca	CI	LCM	Misc		\$0		
							Casing		\$0		
AIR DATA-DRILLING			GAS DATA-DRILLING				Tubing		\$0		
Air Rate	Foam Rate	Foam Mix	Depth	Flare	Duration	Operation	Rods		\$0		
							Wellhead		\$0		
							TOTAL	\$7,250	\$7,250		
Fuel Usage											
Rig EngType	Model	HP	Fuel Type	Gallons Used	Pump Eng Type	Model	HP	Gallons Used			
Detroit	Series 60	575	Diesel	15	Detroit	Series 50/Diesel	380				
	Total Gals	Rig Eng	15	Pump Eng	0	Ttl Rig & Pump	15				
TIME DISTRIBUTION											
Hours	Operation										
5:30-7:00	Crew travel										
7:00-15:00	Safety meeting; Rigging up in mud. It had rained a considerable amount durning the night.										
	RUPU. Blow tubing to tank. UFWH. FUBOP. RUTE. Wait on support equipment. Slow moving due to mud.										
	Spot support equipment. Trip out of hole with 47 joints of tubing, laying on float. Land @ 5507'. This is within a few feet of where the tubing was landed last winter. UFBOP. FUWH. SWI. RDPU.										
	Rode rig to the 122-34.										
15:00-16:30	Crew travel										
BHA DATA:											
OPERATION @ 6 AM:											
REMARKS:											